

CASTROL GT LMA BRAKE FLUID

MSDS Number

BBBFG

National Stock Number

9150-00B020008

Product Name

CASTROL GT LMA BRAKE FLUID

Manufacturer

BURMAH CASTROL INC

Product Identification

Product ID:CASTROL GT LMA BRAKE FLUID

MSDS Date:10/29/1985

FSC:9150

NIIN:00B020008

MSDS Number: BBBFG

Responsible Party

BURMAH-CASTROL INC.

30 EXECUTIVE AVE

EDISON , NJ 08817

US

Info Phone: 201 287-3120

Preparer: MICHAEL P. SHEEHAN

Cage: D0827

Contractor

BURMAH-CASTROL INC.

EDISON, NJ 08817

US

201 287-3120

Cage: D0827

Ingredients

NO HAZARDOUS MATERIALS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:PROLONGED OR REPEATED SKIN CONTACT MAY

CAUSE DRYING OR FLAKING OF SKIN.MAY CAUSE SLIGHT EYE IRRITATION

Effects of Overexposure:SAME AS ACUTE AND CHRONIC EXPOSURE

First Aid

First Aid:INHALATION:REMOVE FROM AREA OF VAPORS.CONSULT A

PHYSICIAN.EYES:FLUSH W/CLEAR WATER UNTIL IRRITATION

SUBSIDES.CONTACT A DOCTOR SOON AS POSSIBLE.SKIN:USE WATERLESS

HANDCLEANER.WASH SKIN WITH SOAP AND WATER.INGESTION:INDUCE

VOMITING IF LARGE AMOUNTS ARE INGESTED.CONTACT A PHYSICIAN

IMMEDIATELY.SMALL AMOUNTS ARE NOT LIKELY TO CAUSE INJURY.

Fire Fighting

Flash Point Method:COC

Flash Point:290F

Lower Limits:1.0

Upper Limits:6.0
Extinguishing Media:DRY CHEMICAL,CARBON DIOXIDE,FOAM,WATER FOG AND WATER
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:MOP OR WIPE UP,OR ABSORB WITH CLAY,DIATOMACEOUS EARTH OR OTHER INERT MATERIAL AND STORE IN CLOSED METAL CONTAINERS.DO NOT ALLOW TO CONTAMINATE GROUND WATER.

Handling

Handling and Storage Precautions:STORE IN CLOSED CONTAINERS IN DRY ATMOSPHERE.MOISTURE MAY AFFECT FLUID PERFORMANCE.
Other Precautions:AVOID BREATHING OF OIL MIST.REMOVE OIL IMPREGNATED CLOTHING WASH THOROUGHLY AFTER EXPOSURE.

Exposure Controls

Respiratory Protection:NOT NORMALLY NEEDED.USE SUPPLIED AIR (SPECIFY TYPE)RESPIRATORY PROTECTION IN CONFINED OR ENCLOSED AREAS.
Ventilation:MAINTAIN EXPOSURE BELOW 5MG PER CUBIC METER
Protective Gloves:USE CHEMICAL RESISTANT GLOVES
Eye Protection:USE SAFETY GLASSES W/NO SIDE SHIELDS
Other Protective Equipment:USE CHEMICALLY RESISTANT APRON OR OTHER CLOTHING TO AVOID PROLONGED SKIN CONTACT
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:465F
Vapor Pres:LOW
Spec Gravity:1.05
Solubility in Water:INFINITE
Appearance and Odor:CLEAR TO AMBER LIQUID,MILD ODOR

Stability

Stability Indicator/Materials to Avoid:YES
AVOID STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE,SMOKE

Disposal

Waste Disposal Methods:CONTROLLED INCINERATION OR METHOD IN COMPLIANCE WITH LOCAL,STATE AND FEDERAL REGULATIONS REGARDING HEALTH,AIR AND WATER POLLUTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.