
BR 154 PRIMER, 20% SOLIDS, 0598-03

MSDS Number

BBQGY

National Stock Number

8030-00F004444

Product Name

BR 154 PRIMER, 20% SOLIDS, 0598-03

Manufacturer

AMERICAN CYANAMID

Product Identification

Product ID:BR 154 PRIMER, 20% SOLIDS, 0598-03

MSDS Date:01/01/1987

FSC:8030

NIIN:00F004444

MSDS Number: BBQGY

Responsible Party

AMERICAN CYANAMID/WAYNE, NJ 07470

Emergency Phone: (201) 835-3100

Cage: 70361

Contractor

AMERICAN CYANAMID CO

CLIFTON, NJ 07015

US

973-683-2000

Cage: 70361

Ingredients

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 80 - 85%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

STRONTIUM CHROMATE (SARA III)

CAS: 7789-06-2

RTECS: GB3240000

Fraction By Weight: 1.6%

OSHA PEL0.1 PPM CRO3;CEILING

ACGIH TLV: 0.0005MG CR/M3;A2;93

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

Hazards

Effects of Overexposure:OVEREXPOSURE TO VAPOR DURING HEAT CURING MAY CAUSE IRRITATION/INJURY OF THE RESP TRACT/EYE IRRIT.

First Aid

First Aid:EYES/SKIN: FLUSH W/WATER FOR 15 MINUTES. REMOVING CONTAMINATED CLOTHING/SHOES. DON'T REUSE CONTAMINATED CLOTHING W/OUT LAUNDERING. EYE: IRRIGATE W/WATER FOR 15 MINUTES. IF INHALED, REMOVE FROM EXPOSUR E. ADMINISTER OXYGEN. OBTAIN MEDICAL ATTENTION.

Fire Fighting

Flash Point:5F (CC)
Extinguishing Media:WATER SPRAY, ALCOHOL FOAM, CO2, DRY CHEMICAL
Fire Fighting Procedures:WATER COOL CONTAINERS. WEAR SCBA/FULL PROTECTIVE CLOTHING.

Accidental Release

Spill Release Procedures:COVER SPILLS WITH SOME INERT ABSORBENT MATERIAL; SWEEP UP AND PLACE IN A WASTE DISPOL CONTAINER. FLUSH AREA WITH WATER. REMOVE SOURCES OF IGNITION. WEAR NIO RESP SUITABLE FOR LEVEL OF EXPOSURE.

Handling

Handling and Storage Precautions:AREAS CONTAINING THIS MATERIAL SHOULD HAVE FIRE-SAFE PRACTICES/ELECTRICAL EQUIPMENT IN ACCORDAE WITH ELECTRICAL AND FIRE PROTECTION CODES.
Other Precautions:VAPOR PRESSURE OF ORGANIC LIQUIDS INCREASES WITH TEMPERATURE. STORE AWAY FROM SOURCES OF HEAT. BEFORE EATING, DRINKING & SMONG WASH FACE AND HANDS WITH SOAP AND WATER.

Exposure Controls

Respiratory Protection:WEAR NIOSH FULL FACEPIECE IF >TLV.

Ventilation:PROVIDE LOCAL EXHAUST VENTILATION TO KEEP BELOW TLV.
Protective Gloves:IMPERVIOUS
Eye Protection:CHEMICAL GOGGLES
Other Protective Equipment:PROVIDE EYEWASH FOUNTAIN, SAFETY SHOWER, BARRIER CREAM.
Supplemental Safety and Health
MSDS DATE: 20 MAR 86.

Chemical Properties

Spec Gravity:1.6
Appearance and Odor:GRAY, VISCOUS LIQUID; SOLVENT ODOR
Percent Volatiles by Volume:10%

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, MINERAL ACIDS
Stability Condition to Avoid:STORE AT OR BELOW 0 F TO PROLONG SHELF LIFE.
Hazardous Decomposition Products:COMBUSTION MAY PRODUCE CO, CO2, HYDROGEN CHLORIDE, NOX.

Disposal

Waste Disposal Methods:DISPOSAL MUST BE MADE IN ACCORDANCE WITH APPLICABLE GOVERNMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.