

RUST-PREP 32OZ,93021 (OLD FORMULATION)

MSDS Number

BJKJR

National Stock Number

6850-00N011579

Product Name

RUST-PREP 32OZ,93021 (OLD FORMULATION)

Manufacturer

PREMIER INDUSTRIAL CORP

Product Identification

Product ID:RUST-PREP 32OZ,93021 (OLD FORMULATION)

MSDS Date:10/24/1985

FSC:6850

NIIN:00N011579

MSDS Number: BJKJR

Responsible Party

PREMIER INDUSTRIAL CORPORATION

4500 EUCLID AVENUE

CLEVELAND , OH 44103

US

Emergency Phone: 216-391-8300

Info Phone: 216-391-8300

Cage: 18399

Contractor

PREMIER FARNELL CORPORATION

CLEVELAND, OH 44103-3736

US

216-391-8300

Cage: 18399

Ingredients

NO HAZARDOUS INGREDIENTS

OSHA PELN/K

ACGIH TLV: N/K

Hazards

LD50 LC50 Mixture:N/K

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SEE SIGNS AND SYMPTOMS OF OVEREXPOSURE

Explanation of Carcinogenicity:NONE

Effects of

Overexposure:EYES:IRRITATION.SKIN:IRRITATION.INGESTION:GENERALLY

LOW ORDER OF TOXIC HAZARD.INHALATION:N/K .

Medical Cond Aggravated by Exposure:N/K

First Aid

First Aid:EYES:WASH WITH PLENTY OF LOW PRESSURE WATER FOR AT LEAST 15

MINUTES AND SEE A PHYSICIAN.SKIN:WASH WITH SOAP AND

WATER.INGESTION:INDUCE VOMITING.TREAT SYMPTOMATICALLY AND SEE A

PHYSICIAN.INHALATION:REM OVE TO FRESH AIR.SUPPORT BREATHING (GIVE O*2/ARTIFICIAL RESPIRATION) .

Fire Fighting

Flash Point Method:TCC
Flash Point:>200F,93C
Lower Limits:N/K
Upper Limits:N/K
Extinguishing Media:LATEX EMULSION NOT FLAMMABLE-FOR DRY LATEX USE WATER FOG.
Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .
Unusual Fire/Explosion Hazard:NONE.HAZARDOUS DECOMPOSITION PRODUCTS:CO,CO*2.

Accidental Release

Spill Release Procedures:SMALL SPILLS-FLUSH AWAY WITH LARGE QUANTITIES OF COLD TAP WATER.LARGE SPILLS-CHANNEL AND SWEEP INTO POND AND PUT INTO A CONTAINER FOR DISPOSAL.
Neutralizing Agent:N/K

Handling

Handling and Storage Precautions:CLEAN UP SPATTERS,SPILLS AND EQUIPMENT BEFORE LATEX DRIES.STORE IN CLOSED CONTAINERS.DO NOT FREEZE.
Other Precautions:ALWAYS READ AND FOLLOW DIRECTIONS ON PRODUCT LABEL.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .
Ventilation:LOCAL AND GENERAL VENTILATION NECESSARY TO KEEP AIR CONCENTRATION BELOW LEVEL OF CONCERN .
Protective Gloves:RUBBER
Eye Protection:CHEM WORK GOGG,FACESHLD OPTIONAL .
Other Protective Equipment:PAINTERS OVERALLS OR COAT.
Work Hygienic Practices:N/K
Supplemental Safety and Health
ROUTES OF ENTRY:INHALATION/SKIN/INGESTION .

Chemical Properties

Boiling Pt:B.P. Text:212F,100C
Melt/Freeze Pt:M.P/F.P Text:N/K
Decomp Temp:Decomp Text:N/K
Vapor Pres:22 MMHG
Vapor Density:0.6,AIR=1
Spec Gravity:1.02 (WATER=1)
Evaporation Rate & Reference:1
Solubility in Water:INFINITE
Appearance and Odor:THIN,MILKY LIQUID WITH MILD ODOR.
Percent Volatiles by Volume:69

Stability

Stability Indicator/Materials to Avoid:YES
ALKALIS,AMMONIA,IRON COMPOUNDS,OXIDIZING AGENTS.
Stability Condition to Avoid:FREEZING LATEX
Hazardous Decomposition Products:CO,CO*2
Conditions to Avoid Polymerization:WILL NOT OCCUR.

Disposal

Waste Disposal Methods:DISPOSAL MUST BE IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS .BURY SOLIDS IN APPROVED LANDFILL AND ALLOW TO DRY AND DISPOSE OF LIQUIDS PER REGULATIONS AS NON-HAZARDOUS WASTE WITH HIGH COD.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.