



## **EPIBOND 1543 A**

### **MSDS Number**

BHBCR

### **National Stock Number**

8040-01-078-9273

### **Product Name**

EPIBOND 1543 A

### **Manufacturer**

FURANE PRODUCTS COMPANY

### **Product Identification**

Product ID: EPIBOND 1543 A

MSDS Date: 12/12/1984

FSC: 8040

NIIN: 01-078-9273

Kit Part: Y

MSDS Number: BHBCR

### **Responsible Party**

FURANE PRODUCTS COMPANY

1521 SAN FERNANDO ROAD WEST

LOS ANGELES, CA 90039

Emergency Phone: (215) 592-3000

Info Phone: (215) 592-3000

Cage: 00131

### **Contractor**

FURANE PRODUCTS COMPANY

LOS ANGELES, CA 90039-1011

US

(201) 499-2401

Cage: 00131

### **Ingredients**

EPOXY RESIN

CAS: 25085-99-8

Fraction By Weight: >70%

INORGANIC INERT FILLERS

Fraction By Weight:

QUARTZ, SILICON DIOXIDE

CAS: 14808-60-7

RTECS: VV7330000

Fraction By Weight:

OSHA PEL10 MG/CUM RESP

ACGIH TLV: 10 MG/CUM DUST



ALUMINUM (SARA III)

CAS: 7429-90-5

RTECS: BD0330000

Fraction By Weight:

OSHA PEL15MG/M3 DUST/5 FUME

ACGIH TLV: 10MG/M3 DUST; 9192

## Hazards

LD50 LC50 Mixture:ORAL LD50(RAT): Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: RESPIRATORY RESPONSE.

SKIN: ALLERGIC REACTION, IRRITATING, & DERMATITIS. EYES:

IRRITATING. INGESTION: HARMFUL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:IRRITATION.

Medical Cond Aggravated by Exposure:DERMATITIS/ALLERGIC REACTION

## First Aid

First Aid:INHALATION: MOVE SUBJECT TO FRESH AIR. EYES/SKIN: FLUSH W/LARGE AMOUNTS OF WATER FOR 15 MINS. SKIN: WASH THOROUGHLY W/SOAP & WATER. INGESTION: DILUTE BY GIVING 2 GLASSES OF WATER TO DRINK. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. OBTAIN MEDICAL ATTENTION IN ALL CASES.

## Fire Fighting

Flash Point Method:PMCC

Flash Point:>200F

Extinguishing Media:CO2, DRY CHEMICAL, WATER SPRAY

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

(PRESSURE-DEMAND, MSHA/NIOSH APPROVED/EQUIVALENT) & FULL PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NONE

## Accidental Release

Spill Release Procedures:CLEAN UP ALL TRACES OF SPILL. SHOVEL AS MUCH OF MATERIAL AS POSSIBLE INTO CLEAN, DRY CONTAINERS. ON HARD SURFACES USE ABSORBENT MATERIAL TO PICK UP REMAINDER; ON LOOSE SURFACES SHOVEL UP CONTAMINATED LAYER.

## Handling

Handling and Storage Precautions:AVOID CONTACT W/SKIN. STORE INDOORS IN A COOL, DRY AREA W/ADEQUATE VENTILATION.

## Exposure Controls

Respiratory Protection:WEAR RESPIRATOR (MSHA/NIOSH-APPROVED) SUITABLE FOR CONCENTRATIONS OF AIR CONTAMINANTS ENCOUNTERED.

Ventilation:NORMAL ROOM VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:SAFETY SHOWER & EYEWASH FACILITY.

Work Hygienic Practices:REMOVE/WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

## Chemical Properties

HCC:B3

Vapor Density:>1

Spec Gravity:1.24

Evaporation Rate & Reference:(BU AC = 1): Solubility in Water:NEGLIGIBLE

Appearance and Odor:ALUMINUM COLOR THICK PASTE; CHARACTERISTIC ODOR.

Percent Volatiles by Volume:

## Stability

Stability Indicator/Materials to Avoid:YES

ACIDS, ALKALIES, AMINES



Stability Condition to Avoid: STORAGE TEMPS >100F. HEAT  
Hazardous Decomposition Products: CO, CO2

## **Disposal**

Waste Disposal Methods: DILUTE W/A SUITABLE FLAMMABLE SOLVENT; THEN  
INCINERATE IN APPROVED EQUIPMENT. INCINERATE/LANDFILL CONTAMINATED  
MATERIAL IAW/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.