



VARATHANE EARLY AMERICAN

MSDS Number

BHBQS

National Stock Number

8010-00F009048

Product Name

VARATHANE EARLY AMERICAN

Manufacturer

FLECTO COMPANY INC

Product Identification

Product ID:VARATHANE EARLY AMERICAN

MSDS Date:07/11/1988

FSC:8010

NIIN:00F009048

MSDS Number: BHBQS

Responsible Party

FLECTO COMPANY, INC.

1000 45TH STREET

OAKLAND , CA 94608

Emergency Phone: (415) 655-2470

Info Phone: (415) 655-2470

Preparer: EDWARD M. QUESADA

Cage: FO357

Contractor

FLECTO COMPANY, INC.

OAKLAND, CA 94608

US

(415) 655-2470

Cage: FO357

Ingredients

STODDARD SOLVENT

CAS: 8052-41-3

RTECS: WJ8925000

Fraction By Weight: 5%

OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION/INGESTION: BURNING SENSATION IN THE NOSE & THROAT, COUGH, DIFFICULTY IN BREATHING, HEADACHE, DIZZINESS, STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS OR COMA, RESPIRATORY IRRITANT, CNS DEPRES SANT. SKIN/EYES: IRRITATION.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION/INGESTION: BURNING SENSATION IN THE NOSE & THROAT, COUGH, DIFFICULTY IN BREATHING, HEADACHE, DIZZINESS,



STAGGERING GAIT, CONFUSION, UNCONSCIOUSNESS OR COMA, RESPIRATORY TRACT IRRITANT, CNS DEPRESSANT. SKIN/EYES: IRRITATION.

Medical Cond Aggravated by Exposure: ANESTHESIA, RESPIRATORY TRACT IRRITATION, DERMATITIS, NAUSEA, VOMITING.

First Aid

First Aid: EYE: FLUSH IMMEDIATELY W/LARGE AMOUNTS OF WATER FOR 15 MINS. CONSULT PHYSICIAN. SKIN: WASH AFFECTED AREAS W/SOAP & WATER. CONSULT PHYSICIAN IF IRRITATION PERSISTS. INHALATION: REMOVE TO FRESH AIR, RES TORE BREATHING, CONSULT PHYSICIAN. INGESTION: DON'T INDUCE VOMITING. CALL PHYSICIAN IMMEDIATELY.

Fire Fighting

Flash Point Method: TCC

Flash Point: 122F

Lower Limits: 1.0%

Extinguishing Media: FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures: FIGHT AS VOLATILE LIQUID FIRE. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL TO REDUCE PRESSURE.

Unusual Fire/Explosion Hazard: KEEP AWAY FROM HEAT, SPARKS & OPEN FLAME.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. AVOID BREATHING VAPOR CONCENTRATION & REMOVE W/INERT ABSORBENT.

Handling

Handling and Storage Precautions: KEEP AWAY FROM CHILDREN. DON'T TAKE INTERNALLY. DON'T GET IN EYES. DON'T STORE OR USE NEAR HEAT, SPARKS OR FLAME.

Exposure Controls

Respiratory Protection: APPROVED MASK OR RESPIRATOR FOR ORGANIC VAPORS AS NECESSARY.

Ventilation: PROVIDE ADEQUATE VOLUME & PATTERN TO KEEP Protective Gloves: NEOPRENE, RUBBER

Eye Protection: GOGGLES, SAFETY GLASSES W/SHIELDS

Other Protective Equipment: USE IMPERMEABLE APRONS & PROTECTIVE CLOTHING WHENEVER POSSIBLE.

Work Hygienic Practices: DON'T STORE IN A HIGH TEMPERATURE AREA OR NEAR FIRE OR OPEN FLAME. DON'T TAKE INTERNALLY.

Supplemental Safety and Health
WT PER GAL: 8.58-8.63 LBS/GAL.

Chemical Properties

Boiling Pt: B.P. Text: 212-390F

Vapor Density: >1

Evaporation Rate & Reference: (ETHER = 1): Solubility in Water: COMPLETE

Appearance and Odor: VERY MILD ALIPHATIC ODOR W/A BROWN APPEARANCE.

Percent Volatiles by Volume: 86.4

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: EXCESSIVE HEAT, POOR VENTILATION,

CORROSIVE ATMOSPHERES, EXCESSIVE AGING, SPARKS OR OPEN FLAME.

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS. DON'T INCINERATE IN CLOSED CONTAINERS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

