

SPEEDY STRIP

MSDS Number

BBBFB

National Stock Number

6850-00B020004

Product Name

SPEEDY STRIP

Manufacturer

BRULIN AND COMPANY

Product Identification

Product ID:SPEEDY STRIP

MSDS Date:01/15/1985

FSC:6850

NIIN:00B020004

MSDS Number: BBBFB

Responsible Party

BRULIN AND COMPANY

INDIANAPOLIS , IN 46206-0270

US

Emergency Phone: 317 923-3233

Info Phone: 317 923-3211

Cage: DO825

Contractor

BRULIN AND COMPANY,INC.

270-B

INDIANAPOLIS, IN 46206-0270

US

317-923-3211

Cage: DO825

Ingredients

AMMONIA

CAS: 7664-41-7

Fraction By Weight: 1-5%

OSHA PEL50 PPM

ACGIH TLV: 25 PPM/35 STEL; 9293

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

Z-AMINOETHANOL (MONOETHANOLAMINE)

CAS: 141-43-5

Fraction By Weight: 5-9%

ACGIH TLV: 3 PPM

ISOPROPYL ALCOHOL (SARA III)

CAS: 67-63-0

RTECS: NT8050000

Fraction By Weight: 1-5%

OSHA PEL400 PPM/500 STEL

ACGIH TLV: 400 PPM/500STEL;9192

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:THROAT AND NOSE IRRITATION.EYE IRRITATION

Effects of Overexposure:SAME AS ACUTE AND CHRONIC EXPOSURE SYMPTOMS

First Aid

First Aid:INHALATION:REMOVE TO FRESH AIR.INGESTION:KEEP WARM,QUIET. CALL A PHYSICIAN.EYES:FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MIN.LIFTING UPPER AND LOWER LIDS OCCASSIONALLY. GET MEDICAL ATTENTION. SKIN:WASH WITH MILD SOAP AND WATER.REMOVE CONTAMINATED CLOTHING. LAUNDER CLOTHING BEFORE RE-USE.

Fire Fighting

Flash Point:NONE

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:FLUSH TO SEWER WITH WATER

Handling

Handling and Storage Precautions:STORE BETWEEN 40 AND 120 DEG F

Other Precautions:THIS PRODUCT IS AMMONIATED AND WHEN DILUTED AND MOPPED ON FLOORS,RELEASES VAPORS.THESE VAPORS ARE TOXIC TO FISH,BIRDS,SMALL ANIMALS AND PLANTS.THEY MUST BE REMOVED FROM AREA PRIOR TO USING THIS PRODUC T.

Exposure Controls

Respiratory Protection:APPROVED RESPIRATORY PROTECTION REQUIRED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL.

Ventilation:MECHANICAL GENERAL

Protective Gloves:RECOMMENDED

Eye Protection:RECOMMENDED

Other Protective Equipment:NONE

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:212 DEGF

Spec Gravity:1.025

Evaporation Rate & Reference:1

Solubility in Water:COMPLETE

Appearance and Odor:YELLOW LIQUID, AMMONIA ODOR

Percent Volatiles by Volume:90

Stability

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:FREEZING

Hazardous Decomposition Products:AMMONIA,NITROGEN OXIDES UPON THERMAL DECOMPOSITION

Disposal

Waste Disposal Methods:DISPOSE IN COMPLIANCE WITH FEDERAL,STATE AND LOCAL LAWS AND WITH 40 CFR.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.