

JOINT FILLER-JOINT CEMENT

MSDS Number

BBBGR

National Stock Number

8040-00B020038

Product Name

JOINT FILLER-JOINT CEMENT

Manufacturer

BONDEX INTERNATIONAL INC

Product Identification

Product ID:JOINT FILLER-JOINT CEMENT

MSDS Date:08/16/1985

FSC:8040

NIIN:00B020038

MSDS Number: BBBGR

Responsible Party

BONDEX INTERNATIONAL,INC.

3616 SCARLET OAK BLVD.

ST.LOUIS , MO 63122

US

Emergency Phone: 314394-6780,314225-6748

Info Phone: 314225-5001

Cage: 77699

Contractor

BONDEX INTERNATIONAL INC

ST LOUIS, MO 63122-6606

US

314-582-6683/314-225-6748

Cage: 77699

Ingredients

CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS: 1317-65-3

RTECS: EV9580000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3 TDUST; 9192

TALC

CAS: 14807-96-6

RTECS: NW2710000

ACGIH TLV: 2MG/M3

STARCH

CAS: 9005-25-8

RTECS: GM5090000

OSHA PEL15 MG/M3 TDUST

ACGIH TLV: 10 MG/M3; 9192

VINYL ACETATE (SARA III)

CAS: 108-05-4

RTECS: AK0875000

OSHA PEL10 PPM/15 STEL

ACGIH TLV: 10 PPM/15,A3 STEL;93

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION:MAY CAUSE UPSET STOMACH.SKIN

CONTACT:MAY BE IRRITANT.EYE CONTACT:MAY BE IRRITANT.

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

First Aid

First Aid:INGESTION:DRINK PLENTY OF WATER TO REDUCE CONCENTRATION AND GET MEDICAL ATTENTION.SKIN:WASH WITH SOAP AND WATER.EYE:FLUSH WITH WATER FOR 15 MIN AND GET MEDICAL ATTENTION.

Fire Fighting

Extinguishing Media:WATER,OR ANY MEDIA

Fire Fighting Procedures:N/R NON FLAMMABLE

Accidental Release

Spill Release Procedures:MATERIALS MAY BE SCOOPED AND DISPOSED.WASH WITH WATER,WATER MAY BE DRAINED IN A SEWER.

Handling

Handling and Storage Precautions:KEEP FROM FREEZING.

Other Precautions:KEEP OUT OF REACH OF CHILDREN.CONTAINS .023 MERCURY AS PRESERVATIVES,MAY CAUSE ALLERGY TO SKIN FOR SOME PEOPLE.IRRITANT TO SKIN AND EYES.MAY CAUSE UPSET STOMACH IF INGESTED.

Exposure Controls

Protective Gloves:RUBBER GLOVES

Eye Protection:GOGGLES

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:100C/212F

Melt/Freeze Pt:M.P/F.P Text:825C

Spec Gravity:1.5
Solubility in Water:SLIGHTLY
Appearance and Odor:OFF WHITE-ODORLESS

Stability

Stability Indicator/Materials to Avoid:YES
Hazardous Decomposition Products:THERMAL DECOMPOSITION MAY RELEASE
CARBON MONOXIDE OR CARBON DIOXIDE.

Disposal

Waste Disposal Methods:SAME AS SPILL/RELEASE PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.