# **BRUTE!**

### **MSDS Number**

**BBBGX** 

### **National Stock Number**

6850-00B020044

### **Product Name**

BRUTE!

#### Manufacturer

BRULIN AND COMPANY INC

### **Product Identification**

Product ID:BRUTE! MSDS Date: 01/01/1987 FSC:6850 NIIN:00B020044 MSDS Number: BBBGX

## **Responsible Party**

BRULIN & COMPANY, INC.

INDIANAPOLIS, IN 46206-0270

US

Emergency Phone: 1-800-428-7149

Info Phone: 317-923-3211

Cage: DO828 **Contractor** 

BRULIN AND CO INC

270

US

INDIANAPOLIS, IN 46205-0270

317-923-3211 Cage: 94058

## **Ingredients**

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3 RTECS: TT2100000

Fraction By Weight: 0.1-1.0%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000

Fraction By Weight: 28%



OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

**ETHANOLAMINE** 

CAS: 141-43-5

RTECS: KJ5775000

Fraction By Weight: 5-10% OSHA PEL3 PPM/6 STEL

ACGIH TLV: 3 PPM/6 STEL; 9192

#### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-DIRECT CONTACT MAY CAUSE
IRRITATION.INGESTION-MAY CAUSE GASTROINTESTINAL IRRITATION AND
IRRITATION OF MOUTH AND THROAT. SKIN-PROLONGED OR REPEATED CONTACT
MAY CAUSE IRRITATION. 2-BUTOXYETHANOL MAY BE ABSORBED IN HARMFUL
AMOUNTS. INHALATION-EXCESS EXP.MAY CAUSE RESP.IRRITATION.CHRONIC
EXP.=LIVER,KIDNEY,BLOOD EFFECT

Effects of Overexposure: EYE CONTACT MAY CAUSE IRRITATION SEEN AS REDNESS AND SWELLING.PROLONGED SKIN CONTACT MAY CAUSE IRRITATION AND REDNESS. EXCESSIVE INHALATION OF MISTS MAY BE IRRITATING AND CAUSE COUGHING AND DISCOMFORT IN THE NOSE, THROAT AND CHEST. ACUTE OVEREXPOSURE TO 2-BUTOXYETHANOL MAY CAUSE LETHARGY AND DROWSINESS. Medical Cond Aggravated by Exposure: ETHANOLAMINE MAY AGGRAVATE ASTHMA AND INFLAMMATORY OF FIBROTIC PULMONARY DISEASE. MAY ALSO AGGRAVATE AN EXISTING DERMATITIS.

### First Aid

First Aid:INHALATION-REMOVE TO FRESH AIR.ADMINISTER O2 IF BREATHING IS DIFFICULT.EYES-FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MIN OCCASIONALLY LIFTING LIDS.GET MED. ATTENTION.SKIN-WASH WITH MILD SOAP & WATER.L AUNDER CLOTHING BEFORE REUSE.INGESTION-IF CONSCIOUS,DILUTE BY GIVING AT LEAST TWO GLASSES OF WATER,CALL A PHYSICIAN IMMEDIATELY.

## Fire Fighting

Flash Point Method: PMCC

Flash Point: 200F

Extinguishing Media: WATER, DRY CHEMICAL, FOAM, CARBON DIOXIDE

Fire Fighting Procedures: NONE Unusual Fire/Explosion Hazard: NONE

#### **Accidental Release**

Spill Release Procedures: SMALL SPILLS-FLUSH TO SANITARY SEWER WITH PLENTY OF WATER. LARGE SPILLS-VENTILATE THE AREA WELL. SOAK UP ON SOLID ABSORBENT AND SHOVEL INTO CONTAINERS FOR DISPOSAL.

#### Handling

Handling and Storage Precautions: STORE BETWEEN 40 AND 120F.

## **Exposure Controls**

Respiratory Protection: NOT NORMALLY REQUIRED. USE NIOSH-MSHA APPROVED

RESPIRATOR IF TLV IS EXCEEDED. Ventilation: MECHANICAL (GENERAL)

Protective Gloves:BUTYL RUBBER IF SKIN CONTACT IS LIKELY. Eye Protection:GOGGLES OR SAFETY GLASSES WHEN HANDLING Other Protective Equipment:AS NECESSARY TO AVOID SKIN CONTACT.

Work Hygienic Practices: AVOID BREATHING SPRAY MIST.

Supplemental Safety and Health

INGESTION MAY CAUSE PAIN OR DISCOMFORT IN THE MOUTH, THROAT AND STOMACH.



### **Chemical Properties**

Boiling Pt:B.P. Text:212F

Melt/Freeze Pt:M.P/F.P Text:APPROX 30F

Vapor Pres:0.6@68F Vapor Density:4.0 Spec Gravity:.986

Evaporation Rate & Reference:1.0 WATER =1)

Solubility in Water: SOLUBLE

Appearance and Odor: YELLOW GREEN LIQUID, MILD CITRUS ODOR

### **Stability**

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS AND ACIDS. Stability Condition to Avoid:AVOID FREEZING Hazardous Decomposition Products:THERMAL DECOMPOSITION CAN PRODUCE CARBON MONOXIDE,CARBON DIOXIDE,NITROGEN OXIDE.

### **Disposal**

Waste Disposal Methods: DISPOSE OF ACCORDING TO FEDERAL, STATE AND LOCAL LAWS AND 40CFR.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.