

CALCO DIESEL FUEL NO. 1

MSDS Number

BBBJJ

National Stock Number

9150-00B030028

Product Name

CALCO DIESEL FUEL NO. 1

Manufacturer

CHEVRON ENVIRONMENTAL HEALTH CEN

Product Identification

Product ID:CALCO DIESEL FUEL NO. 1

MSDS Date:01/24/1986

FSC:9150

NIIN:00B030028

MSDS Number: BBBJJ

Responsible Party

CHEVRON ENVIRONMENTAL HEALTH CEN-

RICHMOND , CA 94804-0054

US

Emergency Phone: 415233-3737

Cage: 0AHD1

Contractor

CHEVRON ENVIRONMENTAL HEALTH CENTER INC

4054

RICHMOND, CA 94804

US

800-582-3835

Cage: 0AHD1

Ingredients

PETROLEUM MID-DISTILLATE

CAS: 8008-20-6

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Effects of Overexposure:MAY CAUSE SKIN IRRITATION. PROLONGED BREATHING OF THE VAPOR CAN CAUSE NERVOUS SYSTEM EFFECTS.

First Aid

First Aid:EYES:FLUSH QUICKLY WITH FRESH WATER FOR 15 MIN.WHILE HOLDING EYELIDS OPEN.SKIN:WASH WELL WITH SOAP AND WATER.SEE A DOCTOR IF IRRITATION OCCURS.LAUNDER CONTAMINATED CLOTHING.INHALATION:MOVE PERSON TO FRESH AIR.IF SWALLOWED,GIVE WATER OR MILK TO DRINK AND CALL DOCTOR.IF PHONE CONTACT IS NOT FEASIBLE,TAKE PERSON AND PRODUCT CONTAINER TO THE NEAREST EMERGENCY TREATMENT CENTER.

Fire Fighting

Flash Point Method:TCC

Flash Point:100 DEG F

Extinguishing Media:CO2,DRY CHEMICAL,FOAM,WATER FOG

Fire Fighting Procedures:DO NOT ENTER ANY ENCLOSED FIRE SPACE WITHOUT

PROPER PROTECTIVE EQUIPMENT. USE SELF-CONTAINED BREATHING APPARATUS TO PROTECT AGAINST OXYGEN DEFICIENCY.

Accidental Release

Spill Release Procedures: ELIMINATE ANY FLAME SOURCE AT AREA OF SPILL. STOP THE LEAK SOURCE AND PREVENT ANY LEAKAGE FROM CONTAMINATING SOIL OR SURFACE WATER.

Handling

Handling and Storage Precautions: DO NOT STORE NEAR FLAME, SPARKS OR HOT SURFACES. USE ONLY IN WELL VENTILATED AREA. KEEP CONTAINER CLOSED. Other Precautions: READ AND OBSERVE ALL PRECAUTIONS ON LABEL. DO NOT WELD, HEAT OR DRILL CONTAINERS. REPLACE CAP OR BUNG. EMPTIED CONTAINERS STILL CONTAIN HAZARDOUS OR EXPLOSIVE VAPOR OR LIQUID. DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY RESULT.

Exposure Controls

Respiratory Protection: THIS MATERIAL MAY BE AN INHALATION HAZARD AND UNLESS VENTILATION IS ADEQUATE, THE USE OF AN APPROVED RESPIRATOR IS RECOMMENDED.

Ventilation: USE THIS MATERIAL ONLY IN WELL VENTILATED AREAS.

Protective Gloves: IMPERVIOUS PROTECTIVE GLOVES

Eye Protection: CHEMICAL SAFETY GOGGLES

Supplemental Safety and Health

NOT FOR USE AS A PORTABLE HEATER OR APPLIANCE FUEL. TOXIC FUMES MAY ACCUMULATE AND CAUSE DEATH.

Chemical Properties

Boiling Pt: B.P. Text: 215-288C

Spec Gravity: 0.85-0.811

Solubility in Water: INSOLUBLE

Appearance and Odor: PALE YELLOW LIQUID

Stability

Stability Indicator/Materials to Avoid: YES

MAY REACT WITH STRONG OXIDIZING MATERIALS.

Hazardous Decomposition Products: NORMAL COMBUSTION FORMS CARBON DIOXIDE AND WATER VAPOR; INCOMPLETE COMBUSTION CAN PRODUCE CARBON MONOXIDE.

Disposal

Waste Disposal Methods: PLACE CONTAMINATED MATERIALS IN DISPOSABLE CONTAINERS AND DISPOSE OF IN A MANNER CONSISTENT WITH APPLICABLE REGULATIONS. CONTACT LOCAL ENVIRONMENTAL OR HEALTH AUTHORITIES FOR APPROVED DISPOSAL OF THIS MATERIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.