

GULF Kerosine

MSDS Number

BBBMK

National Stock Number

9140-00B070003

Product Name

GULF Kerosine

Manufacturer

GULF PRODUCTS DIV

Product Identification

Product ID:GULF Kerosine

MSDS Date:10/03/1985

FSC:9140

NIIN:00B070003

MSDS Number: BBBMK

Responsible Party

GULF PRODUCTS DIVISION

CLEVELAND , OH 44115

US

Emergency Phone: 800 362-8059

Info Phone: 216 575-8024

Cage: DO860

Contractor

GULF PRODUCTS DIVISION

CLEVELAND, OH 44115

US

216 575-8024

Cage: DO860

Ingredients

Kerosine

CAS: 8008-20-6

RTECS: OA5510000

Fraction By Weight: 100%

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY CAUSE GASTROINTESTINAL DISTURBANCES.SYMPTOMS MAY INCLUDE IRRITATION,NAUSEA,VOMITING AND DIARRHEA.MAY CAUSE HARMFUL CENTRAL NERVOUS SYSTEM EFFECTS.EFFECTS MAY INCLUDE EXCITATION,EUPHORIA,HEADACHE,DIZZINESS,DROWSINESS,BLURRED

VISION,FATIGUE,TREMORS,CONVULSIONS,RESPIRATORY ARREST AND DEATH.

Effects of Overexposure:REPEATED OR PROLONGED CONTACT MAY RESULT IN DEFATTING,REDNESS,ITCHING,INFLAMATION AND POSSIBLE SECONDARY INFECTION.ABSORPTION FROM PROLONGED OR MASSIVE SKIN CONTACT MAY CAUSE POISONING.

Medical Cond Aggravated by Exposure:INDIVIDUALS WITH CHRONIC PULMONARY DISEASE WILL BE MORE SERIOUSLY IMPAIRED AND RECOVERY FROM INHALATION EXPOSURE MAY BE COMPLICATED.

First Aid

First Aid:INGESTION:DO NOT INDUCE VOMITING BECAUSE OF DANGER OF ASPIRATING LIQUID INTO LUNGS.IF SPONTANEOUS VOMITTING OCCURS MONITOR FOR BREATHING DIFFICULTY.SKIN CONTACT:REMOVE CONTAMINATED CLOTHING,IMMEDIATELY WASH AREA OF CONTACT WITH SOAP AND WATER.EYE CONTACT-FLUSH WITH LARGE AMOUNTS OF WATER,HOLDING EYELID AWAY FROM THE EYEBALL.INHALATION-REMOVE PERSON FROM AREA.IF NEEDED ADMINISTER CPR

Fire Fighting

Flash Point Method:TCC

Flash Point:48.9

Extinguishing Media:USE WATER SPRAY,DRY CHEMICAL,FOAM OR CARBON DIOXIDE TO PUT OUT FIRE.

Fire Fighting Procedures:USE A WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS,STRUCTURES AND PROTECT PERSONNEL.DO NOT FLUSH DOWN PUBLIC SEWERS.

Unusual Fire/Explosion Hazard:DANGEROUS WHEN EXPOSED TO HEAT OR FLAME.RUNOFF TO SEWER MAY CAUSE FIRE OR EXPLOSION HAZARD.CONTAINERS MAY EXPLODE IN HEAT OR FIRE.

Accidental Release

Spill Release Procedures:TAKE IMMEDIATE STEPS TO STOP AND CONTAIN THE SPILL.KEEP UNNECESSARY PEOPLE AWAY.STAY UPWIND;KEEP OUT OF LOW AREAS.ISOLATE HAZARD AREA FOR 1/2MI IN ALL DIRECTIONS,NO FLARES,SMOKING OR FLAMES.TAKE UP WITH SAND OR OTHER NONCOMBUSTIBLE ABSORBENT MATERIAL

Handling

Handling and Storage Precautions:STORE IN TIGHTLY CLOSED CONTAINERS IN COOL,DRY,ISOLATED,WELL VENTILATED AREA AWAY FROM HEAT,SOURCES OF IGNITION AND INCOMPATIBLES.

Other Precautions:EMPTY CONTAINERS MAY CONTAIN TOXIC,FLAMMABLE/COMBUSTIBLE OR EXPLOSIVE RESIDUE OR VAPORS.DO NOT CUT,GRIND,DRILL,WELD OR REUSE CONTAINERS UNLESS PRECAUTIONS ARE TAKEN AGAINST THESE HAZARDS.

Exposure Controls

Respiratory Protection:NIOSH/MSHA APPROVED BREATHING EQUIPMENT MUST BE AVAILABLE FOR NON-ROUTINE AND EMERGENCY USE.

Ventilation:VENTILATION MAY BE USED TO CONTROL OR REDUCE AIRBORNE CONCENTRATIONS.

Protective Gloves:WEAR IMPERVIOUS GLOVES

Eye Protection:WEAR SAFETY GLASSES OR CHEMICAL GOGGLES

Other Protective Equipment:WEAR PROTECTIVE CLOTHING TO PREVENT SKIN CONTACT.DO NOT WEAR CONTACT LENSES WHEN WORKING WITH THIS SUBSTANCE.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:(F) 148.9

Vapor Pres:04 @ 68 F

Vapor Density:4.7

Spec Gravity:39

Evaporation Rate & Reference:WATER=1 SLOWER

Solubility in Water:NEGLIGIBLE

Appearance and Odor:CLEAR LIQUID WITH A HYDROCARBON ODOR

Stability

Stability Indicator/Materials to Avoid:YES

AVOID STRONG OXIDIZERS

Hazardous Decomposition Products:COMBUSTION MAY PRODUCE CO,CO2 AND REACTIVE HYDROCARBONS

Disposal

Waste Disposal Methods:THIS SUBSTANCE WHEN DISCARDED OR DISPOSED OF IS

NOT SPECIFICALLY LISTED AS A HAZARDOUS WASTE IN FEDERAL REGULATIONS.THE DISPOSAL OF THIS MATERIAL MUST BE IN COMPLIANCE WITH ALL APPLICABLE FEDERAL,STAT E AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.