



GILLESPIE LEMON OIL TREATMENT

MSDS Number

BBBPP

National Stock Number

7930-00B110001

Product Name

GILLESPIE LEMON OIL TREATMENT

Manufacturer

KLEAN STRIP DIV OF W M BARR AND COMPANY

Product Identification

Product ID: GILLESPIE LEMON OIL TREATMENT

MSDS Date: 10/27/1987

FSC: 7930

NIIN: 00B110001

MSDS Number: BBBPP

Responsible Party

KLEAN STRIP, DIVISION OF W.M. BARR & COMPANY

2105 CHANNEL AVENUE

MEMPHIS, TN 38101

US

Info Phone: 901-775-0100

Cage: DO871

Contractor

KLEAN STRIP, DIVISION OF W.M. BARR & COMPANY

1879

MEMPHIS, TN 38101

US

901-775-0100

Cage: DO871

Ingredients

SOLVENT REFINED PARAFFIC OIL

CAS: 64741-88-4

Fraction By Weight: 90%

OSHA PEL5MG/M3

ACGIH TLV: 5MG/M3

NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS: 8030-30-6

RTECS: SE7555000

Fraction By Weight: 15%

OSHA PEL100 PPM

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES



Medical Cond Aggravated by Exposure:NONE RECOGNIZED

First Aid

First Aid:IF USER EXPERIENCES BREATHING DIFFICULTY MOVE TO AIR FREE OF VAPORS. GIVE OXYGEN OR ARTIFICIAL RESPIRATION UNTIL MEDICAL ASSISTANCE CAN BE GIVEN. CALL HOSPITAL EMERGENCY ROOM,POISON CONTROL CENTER OR PHYSICIAN IMMEDIATELY FOR INSTRUCTIONS IF INGESTED. FLUSH SKIN AND EYES WITH PLENTY OF WATER FOR AT LEAST 15 MIN. IF IRRITATION PERSISTS,GET MEDICAL ATTENTION.

Fire Fighting

Flash Point:174F
Extinguishing Media:CO₂,DRY POWDER OR FOAM
Fire Fighting Procedures:SELF-CONTAINED RESPIRATORY PROTECTION SHOULD BE PROVIDED FOR FIREFIGHTERS FIGHTING FIRES IN BUILDINGS OR CONFINED AREAS
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT AND HOT SURFACES

Accidental Release

Spill Release Procedures:AVOID BREATHING VAPORS. FLUSH LARGE SPILLS OF MATEIAL INTO SUITABLE RETAINING AREA OR CONTAINERS WITH LARGE QUANTITIES OF WATER. SMALL SPILLS CAN BE ABSORBED BY APPROPRIATE INERT ABSORBENT.

Exposure Controls

Respiratory Protection:USE ONLY WITH ADEQUATE VENTILATION UNDER ENGINEERED AIR CONTROL SYSTEMS DESIGNED TO PROVIDE MAXIMUM APPROPRIATE TLV FOR OCCASIONAL USE WHERE ENGINEERED AIR CONTROL IS NOT FEASIBLE,USE NIOSH APPROVED R ESPIRATORS.
Ventilation:ADEQUATE VENTILATION MUST BE PROVIDED.
Protective Gloves:USE IMPERMEABLE GLOVES.
Eye Protection:USE SAFETY GLASSES,GOGGLES OR FACESHIELD
Other Protective Equipment:VARYING APPLICATION METHODS CAN DICTATE USE OF ADDITIONAL PROTECTIVE SAFETY EQUIPMENT,SUCH AS PERMEABLE APRONS,ETC.
Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE. BEFORE REUSE, THOROUGHLY CLEAN CLOTHING OR PPE CONTAMINATED BY PRIOR USE.
Supplemental Safety and Health
READ CAREFULLY ALL CAUTIONS AND DIRECTIONS ON LABEL BEFORE REUSE. SINCE EMPTY CONTAINER RETAINS RESIDUE,FOLLOW ALL LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTY. DISPOSE OF EMPTY CONTAINER ACCORDING TO LOCAL REGULATIONS.

Chemical Properties

Boiling Pt:B.P. Text:316-360F
Vapor Pres:Vapor Density:HVR>AIR
Evaporation Rate & Reference:SLOWER THAN ETHER
Percent Volatiles by Volume:13

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

Disposal

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.