

MINERAL SPIRITS KLEAN STRIP

MSDS Number

BBBPQ

National Stock Number

7930-00B110002

Product Name

MINERAL SPIRITS KLEAN STRIP

Manufacturer

KLEAN STRIP

Product Identification

Product ID:MINERAL SPIRITS KLEAN STRIP MSDS Date:10/01/1985 FSC:7930 NIIN:00B110002 MSDS Number: BBBPO

Responsible Party

KLEAN-STRIP

MEMPHIS, TN 38113

MEMPINS,

US

Info Phone: 901-775-0100

Cage: DO872

Contractor

KLEAN-STRIP DIV BARR W M AND CO

1879

MEMPHIS, TN 38114

US

901-775-0100

Cage: 25451

Ingredients

MINERAL SPIRITS
CAS: 64742-88-7
Fraction By Weight:

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INHALATION:SEVERE EXPOSURE MAY CAUSE NARCOSIS.MAY BE HARMFUL OR FATAL IF INGESTED.EYE CONTACT MAY CAUSE IRRITATION.

Effects of Overexposure: MAY CAUSE SKIN IRRITATION ON PROLONGED OR REPEATED CONTACT. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH NEUROLOGICAL AND OTHER PHYSIOLOGICAL DAMAGE.

First Aid

First Aid:INHALATION:IF USER EXPERIENCES BREATHING DIFFICULTY,MOVE TO AIR FREE VAPORS.ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION UNTIL MEDICAL ASSISTANCE CAN BE RENDERED.INGESTION:DO NOT INDUCE VOMITING.CALL Y OUR POISON CONTROL CENTER,HOSPITAL OR PHYSICIAN IMMEDIATELY.SKIN CONTACT-WASH WITH SOAP AND WATER.EYE CONTACT-FLUSH



WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MIN.CONTACT PHYSICIAN IF IRRITATION CONT

Fire Fighting

Flash Point Method:TCC

Flash Point:107 F

Extinguishing Media: USE CARBON DIOXIDE, DRY POWDER OR FOAM Fire Fighting Procedures: SELF-CONTAINED RESPIRATORY PROTECTION SHOULD BE PROVIDED FOR FIREFIGHTERS WORKING IN BUILDINGS OR CONFINED AREAS Unusual Fire/Explosion Hazard: KEEP CONTAINER TIGHTLY CLOSED. ISOLATE FROM HEAT, ELECTRICAL EQUIPMENT, SPARKS, OPEN FLAMES AND HOT SURFACES.

Accidental Release

Spill Release Procedures: AVOID BREATHING VAPORS. VENTILATE AREA. FLUSH LARGE SPILLS OF MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINERS WITH LARGE QUANTITIES OF WATER. SMALL SPILLS CAN BE ABSORBED BY APPROPRIATE INERT ABSORBE NT.

Handling

Handling and Storage Precautions: DO NOT STORE NEAR FLAMES OR AT ELEVATED TEMPERATURES.

Other Precautions: READ CAREFULLY ALL CAUTION AND DIRECTIONS ON PRODUCT LABEL BEFORE USE. SINCE EMPTY CONTAINER RETAINS RESIDUE, FOLLOW ALL LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTY.

Exposure Controls

Respiratory Protection: FOR OSHA CONTROLLED WORK PLACE. USE ONLY WITH ADEQUATE VENTILATION UNDER ENGINEERED AIR CONTROL SYSTEMS DESIGNED TO PROVIDE MAXIMUM APPROPRIATE TLV. OTHERWISE USE NIOSH APPROVED RESPIRATORS WHERE AIR CO NTROL IS NOT FEASIBLE.

Ventilation: FOR OCCASIONAL CONSUMER USE, USE ONLY WITH ADEQUATE VENTILATION.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES.

Other Protective Equipment: FACESHIELD. VARYING APPLICATION METHODS CAN DICTATE USE OF OTHER PROTECTIVE EQUIPMENT SUCH AS IMPERMEABLE APRONS, ETC.

Work Hygienic Practices: WASH THOROUGHLY AFTER USE.

Supplemental Safety and Health

STORAGE CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL WITH WATER SPRAY TO PREVENT PRESSURE BUILD-UP.

Chemical Properties

Boiling Pt:B.P. Text:316-360 F Vapor Density:>THAN AIR

Evaporation Rate & Reference: SLOWER THAN ETHER

Percent Volatiles by Volume: 100.0

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:NONE RECOGNIZED

Disposal

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.