

CONCRETE DRIVEWAY CLEANER

MSDS Number

BBBPR

National Stock Number

7930-00B110003

Product Name

CONCRETE DRIVEWAY CLEANER

Manufacturer

KLEAN STRIP

Product Identification

Product ID:CONCRETE DRIVEWAY CLEANER MSDS Date:10/01/1987 FSC:7930 NIIN:00B110003 MSDS Number: BBBPR

Responsible Party

KLEAN-STRIP

MEMPHIS , TN 38113

US

Info Phone: 901 775-0100

Cage: DO872

Contractor

KLEAN-STRIP DIV BARR W M AND CO

1879

MEMPHIS, TN 38114

US

901-775-0100

Cage: 25451

Ingredients

OCTYLPHENOXYPOLYETHOXYETHANOL

CAS: 9002-93-1 RTECS: MD0907700 Fraction By Weight: 2-BUTOXYETHANOL

CAS: 111-76-2

RTECS: KJ8575000 Fraction By Weight: OSHA PELS, 50 PPM

ACGIH TLV: S, 25 PPM; 9293

SOLVENT NAPHTHA

CAS: 64742-95-6 Fraction By Weight:



MINERAL SPIRITS

CAS: 64741-41-9

Fraction By Weight:

OSHA PEL500 PPM

ACGIH TLV: 100 PPM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:INHALATION:MAY CAUSE IRRITATION OF RESPIRATORY TRACT, HEADACHE, DIZZINESS, NAUSEA, VOMITING, WEAKNESS AND FATIGUE.MAY CAUSE WATERING OF EYES.MAY BE HARMFUL OR FATAL IF INGESTED.MAY CAUSE GASTROINTESTINAL I RRITATION.SKIN CONTACT:MAY CAUSE IRRITATION, DEPRESSION OF THE CENTRAL NERVOUS SYSTEM, BLOOD DISORDERS, LIVER&KIDNEY DAMAGE

Effects of Overexposure: MAY CAUSE SKIN IRRITATION ON PROLONGED OR REPEATED CONTACT. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENTS WITH NEUROLOGICAL AND OTHER PHYSIOLOGICAL

DAMAGE.

First Aid

First Aid:INHALATION:IF USER EXPERIENCES BREATHING DIFFICULTY, MOVE TO AIR FREE OF VAPORS.ADMINISTER OXYGEN OR ARTIFICIAL RESPIRATION GET MEDICAL ASSISTANCE.INGESTION:DO NOT INDUCE VOMITING.CALL POISON CONTROL C ENTER, HOSPITAL EMERGENCY ROOM OR PHYSICIAN IMMEDIATELY.SKIN CONTACT:WASH WITH SOAP AND LARGE AMOUNTS OF WATER.EYE CONTACT:FLUSH WITH LARGE AMOUNTS OF WATER FOR 15 MIN.SEEK IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Flash Point:115F

Lower Limits:0.8

Extinguishing Media: USE CARBON DIOXIDE, DRY POWDER OR FOAM. Fire Fighting Procedures: SELF-CONTAINED RESPIRATORY PROTECTION SHOULD BE PROVIDED FOR FIREFIGHTERS WORKING IN BUILDINGS OR CONFINED ARFAS.

Unusual Fire/Explosion Hazard: KEEP CONTAINERS TIGHTLY CLOSED. ISOLATE FROM HEAT ELECTRICAL EQUIPMENT, SPARKS, OPEN FLAMES AND HOT SURFACES.

Accidental Release

Spill Release Procedures: AVOID BREATHING VAPORS. VENTILATE AREA. FLUSH LARGE SPILLS OF MATERIAL INTO SUITABLE RETAINING AREA OR CONTAINERS WITH LARGE AMOUNTS OF WATER. SMALL SPILLS CAN BE ABSORBED BY APPROPRIATE INERT ABSORBENT.

Handling

Handling and Storage Precautions: DO NOT STORE NEAR FLAMES OR AT ELEVATED TEMPERATURES.

Other Precautions:READ CAREFULLY ALL CAUTIONS AND DIRECTIONS ON PRODUCT LABEL BEFORE USE.EMPTY CONTAINER RETAINS RESIDUE.FOLLOW ALL LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTY.

Exposure Controls

Respiratory Protection: FOR OSHA CONTROLLED WORK PLACE, USE ONLY WITH ADEQUATE VENTILATION UNDER ENGINEERED AIR CONTROL SYSTEMS DESIGNED TO PROVIDE MAXIMUM APPROPRIATE TLV.OTHERWISE USE NIOSH APPROVED RESPIRATORS WHERE AIR CO NTROL IS NOT FEASIBLE.

Ventilation: FOR OCCASTIONAL CONSUMER USE, USE ONLY WITH ADEQUATE VENTILATION.

Protective Gloves: IMPERMEABLE GLOVES.

Eye Protection: SAFETY GLASSES, CHEMICAL GOGGLES.

Other Protective Equipment: FACESHIELD. VARVING APPLICATION METHODS CAN DICTATE USE OF OTHER PROTECTIVE EQUIPMENT, SUCH AS IMPERMEABLE APRONS ETC.

Work Hygienic Practices: WASH HAND THOROUGHLY AFTER USE.



Supplemental Safety and Health INTENTIONAL MISUSE OF THIS PRODUCT BY DELIBERATELY CONCENTRATING AND INHALING CAN BE HARMFUL OR FATAL.

Chemical Properties

Boiling Pt:B.P. Text:271-405 F Vapor Pres:4.4 20 Vapor Density:>THAN AIR Evaporation Rate & Reference:SLOWER THAN ETHER Percent Volatiles by Volume:96.0

Stability

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:NONE RECOGNIZED.

Disposal

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.