

MOBIL UNIVERSAL ATF

MSDS Number

BBBRL

National Stock Number

9150-00B130020

Product Name

MOBIL UNIVERSAL ATF

Manufacturer

MOBIL OIL CORP

Product Identification

Product ID: MOBIL UNIVERSAL ATF

MSDS Date: 01/01/1987

FSC: 9150

NIIN: 00B130020

MSDS Number: BBBRL

Responsible Party

MOBIL OIL CORP.

3225 GALLOWS ROAD

FAIRFAX, VA 22037

US

Emergency Phone: 212883-4411, 800-424-9300

Cage: 3U278

Contractor

MOBIL OIL CORP.

FAIRFAX, VA 22037

US

1-800-662-4525

Cage: 3U278

Ingredients

MINERAL OIL (EXPOSURE REGULATED AS 'OIL MIST')

CAS: 8012-95-1

RTECS: PY8030000

Fraction By Weight: >85%

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3/10 STEL; 9192

ADDITIVES AND/OR OTHER INGREDIENTS.

Fraction By Weight:

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Effects of Overexposure: SLIGHT SKIN IRRITATION.

First Aid

First Aid: EYE CONTACT: FLUSH WITH WATER. SKIN CONTACT: WASH CONTACT AREAS

WITH SOAP AND WATER. INHALATION: NOT EXPECTED TO BE A PROBLEM. INGESTION: NOT EXPECTED TO BE A PROBLEM. HOWEVER, IF GREATER THAN 1/2 LITER (PINT) INGESTED, IMMEDIATELY GIVE 1 TO 2 GLASSES OF WATER AND CALL A PHYSICIAN, HOSPITAL EMERGENCY ROOM OR POISON CONTROL CENTER. DO NOT INDUCE VOMITING.

Fire Fighting

Flash Point: 320 (160)

Lower Limits: .6

Upper Limits: 7.0

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICAL AND WATER FOG.

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER TO KEEP FIRE EXPOSED CONTAINERS COOL. WATER SPRAY MAY BE USED TO FLUSH SPILLS AWAY FROM EXPOSURE.

Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: ABSORB ON FIRE RETARDANT TREATED SAWDUST, DIATOMACEOUS EARTH, ETC. SHOVEL UP AND DISPOSE OF AT AN APPROPRIATE WASTE DISPOSAL FACILITY.

Exposure Controls

Respiratory Protection: NO SPECIAL REQUIREMENTS UNDER ORDINARY CONDITIONS OF USE AND W/ ADEQUATE VENTILATION.

Ventilation: ADEQUATE VENTILATION

Eye Protection: NO SPECIAL EQUIPMENT REQUIRED.

Other Protective Equipment: NONE

Work Hygienic Practices: GOOD PERSONAL HYGIENE PRACTICES SHOULD BE FOLLOWED.

Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: >600 (316)

Vapor Pres: Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED LIQUID, MILD ODOR.

Stability

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

Stability Condition to Avoid: EXTREME HEAT.

Hazardous Decomposition Products: CARBON MONOXIDE.

Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH CURRENT APPLICABLE LAWS AND REGULATIONS, AND PRODUCT CHARACTERISTICS AT TIME OF DISPOSAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.