

ENSEAL SEALER

MSDS Number

BBBRP

National Stock Number

8030-00B140002

Product Name

ENSEAL SEALER

Manufacturer

NATIONAL CHEMICAL LABORATORIES

Product Identification

Product ID:ENSEAL SEALER

MSDS Date:01/01/1987

FSC:8030

NIIN:00B140002

MSDS Number: BBBRP

Responsible Party

NATIONAL CHEMICAL LABORATORIES

401 N.TENTH ST.

PHILADELPHIA , PA 19123

US

Emergency Phone: 215922-1200

Cage: 93607

Contractor

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

PHILADELPHIA, PA 19123-3803

US

215-922-1200

Cage: 93607

Ingredients

2-(2-METHOXYETHOXY)-ETHANOL

CAS: 111-77-3

RTECS: KL6125000

TRIBUTOXYETHYLPHOSPHATE

CAS: 78-51-3

RTECS: KJ9800000

ACGIH TLV: 3000 MG/KG

DIBUTYL PHTHALATE (SARA III)

CAS: 84-74-2

RTECS: TI0875000

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3; 9192

EPA Report Quantity: 10 LBS

DOT Report Quantity: 10 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Effects of Overexposure:MAY CAUSE SKIN AND EYE IRRITATION.IF
INGESTED,MAY CAUSE SEVERE GASTRIC DISTRESS AND BLOCKAGE.

First Aid

First Aid:FOR EYES:FLUSH WITH WATER FOR AT LEAST 15 MIN.IF IRRITATION
PERSISTS,GET MEDICAL ATTEN.SKIN:WASH W/SOAP AND
WATER.INGESTION:INDUCE VOMITING,GET MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:TOC
Flash Point:NONE
Extinguishing Media:NONE
Fire Fighting Procedures:AS HEATED MATERIAL MAY LIBERATE TOXIC
FUMES,WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:RECONTAINERIZE BY MOPPING,WET VACUUM,OR
SUITABLE ABSORBENT.RINSE REMAINING MATERIAL TO DRAINS.

Handling

Handling and Storage Precautions:STORE BETWEEN 40 DEG AND 140 DEG F. DO
NOT FREEZE.
Other Precautions:KEEP OUT OF REACH OF CHILDREN.

Exposure Controls

Ventilation:LOCAL
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:APP.212
Vapor Pres:=TO WATER
Vapor Density:=TO WATER
Spec Gravity:1.020
pH:8.3
Evaporation Rate & Reference:=TO WATER
Solubility in Water:DISPERSES
Appearance and Odor:OPAQUE,WHITE,LIQUID,CHARACTERISTIC ACRYLIC ODOR.
Percent Volatiles by Volume:86

Stability

Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/STRONG ACIDS AND OXIDIZERS.
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:CARBON OXIDES AND ACRYLATES.

Disposal

Waste Disposal Methods:FOLLOW LOCAL,STATE,AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.