

PACE (R) TABLET CARTRIDGE

MSDS Number

BBBRT

National Stock Number

6850-00B150003

Product Name

PACE (R) TABLET CARTRIDGE

Manufacturer

OLIN CORP

Product Identification

Product ID:PACE (R) TABLET CARTRIDGE

MSDS Date:05/13/1986

FSC:6850

NIIN:00B150003

MSDS Number: BBBRT

Responsible Party

OLIN CORPORATION

120 LONG RIDGE ROAD

STAMFORD , CT 06904

US

Emergency Phone: 1800-OLIN-911

Info Phone: 203789-5436

Cage: 0G578

Contractor

OLIN CORPORATION

988

STAMFORD, CT 06904-1355

US

203-356-3449

Cage: 0G578

Ingredients

TRICHLOROISOCYANURIC ACID

CAS: 87-90-1

RTECS: XZ1925000

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SEVERE IRRITATION AND/OR BURNS TO EYES,SKIN,RESPIRATORY TRACT,MUCOUS MEMBRANES AND GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity:NOT KNOWN TO BE CARCINOGENIC.

Effects of Overexposure:NONE EXPECTED AT USE CONCENTRATIONS.

First Aid

First Aid:FLUSH WITH WATER FOR 15 MIN.CALL PHYSICIAN,FOR SKIN

CONTACT.EYES:FLUSH W/WATER FOR 15 MIN,CALL

PHYSICIAN.INGESTION:DRINK LARGE QUANTITIES OF WATER.DO NOT INDUCE

VOMITING,CALL PHYSICIAN.INHALATION:REMO VE VICTIM TO FRESH AIR,CALL

PHYSICIAN.

Fire Fighting

Extinguishing Media:DELUGE WITH WATER.USE WATER SPRAY TO COOL CONTAINERS EXPOSED TO FIRE.

Fire Fighting Procedures:CONTACT WITH MOST ORGANIC OR EASILY OXIDIZED MATERIALS MAY RESULT IN FIRE.USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION.WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS.CLEAN UP IN MANNER TO MINIMIZE CONTAMINATION W/ORGANIC MATERIAL.PLACE IN FRESH CONTAINER AND ISOLATE OUTSIDE OR IN A WELL-VENTILATED AREA.DO NOT SEAL CONTAINER

Handling

Handling and Storage Precautions:DO NOT GET IN EYES,ON SKIN,OR CLOTHING OR TAKE INTERNALLY.UPON CONTACT W/SKIN OR EYES WASH OFF W/WATER.AVOID BREATHING DUST.

Other Precautions:PROTECT AGAINST PHYSICAL DAMAGE.STORE IN A COOL DRY,WELL-VENTILATED PLACE AWAY FROM FLAMMABLE LIQUIDS,COMBUST,OR OXIDIZABLE MATERIALS.DRUMS MAY RUPTURE IF CONTENTS ARE EXPOSED TO HEAT,BECOME CONTAMINATED OR WET.

Exposure Controls

Respiratory Protection:WEAR NIOSH/MSHA APPROVED CHLORINE/DUST RESP. IF EXCESSIVE DUSTING OCCURS.

Ventilation:LOCAL MECHANICAL EXHAUST VENTILATION RECOMMENDED TO MINIMIZE EMPLOYEE EXPOSURE.

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES

Other Protective Equipment:COVERALLS AND IMPERVIOUS BOOTS

Supplemental Safety and Health

SEVERE IRRITATION TO EYES,SKIN AND MUCOUS MEMBRANES.

Chemical Properties

Melt/Freeze Pt:M.P/F.P Text:225-240 C

Vapor Pres:NIL

Spec Gravity:2.1

pH:1% 2.7

Evaporation Rate & Reference:NIL

Solubility in Water:1.2%@25C

Appearance and Odor:WHITE TABLETS OR STICKS WITH ODOR OF CHLORINE.

Percent Volatiles by Volume:NIL

Stability

Stability Indicator/Materials to Avoid:YES

ORGANIC MATERIALS EASILY CHLORINATED OR OXIDIZED MATERIALS,AMMONIA,AMMONIUM SALTS,UREA,ACIDS,BASES.

Stability Condition to Avoid:CONTAMINATION WITH SMALL AMOUNTS OF WATER,EXCESSIVE HEAT

Hazardous Decomposition Products:NC13 A HIGHLY EXPLOSIVE COMPOUND,CHLORINE,CYANOGEN CHLORIDE.

Disposal

Waste Disposal Methods:DISPOSE OF CONTAMINATED PRODUCT,EMPTY CONTAINERS AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL.CONSULT APPROPRIATE FEDERAL,STATE AND LOCAL REGULATORY AGENCIES TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.