

PACE(R)CONC.POOL CHLORINATING STICKS

MSDS Number

BBBSL

National Stock Number

6850-00B150017

Product Name

PACE(R)CONC.POOL CHLORINATING STICKS

Manufacturer

OLIN CORP

Product Identification

Product ID:PACE(R)CONC.POOL CHLORINATING STICKS MSDS Date:01/01/1987 FSC:6850 NIIN:00B150017 MSDS Number: BBBSL

Responsible Party

OLIN CORPORATION

120 LONG RIDGE ROAD

STAMFORD, CT 06904

US

Emergency Phone: 1800-OLIN-911

Info Phone: 203789-5436

Cage: 0G578

Contractor

OLIN CORPORATION

988

US

STAMFORD, CT 06904-1355

203-356-3449 Cage: 0G578

Ingredients

TRICHLORISOCYANURIC ACID

CAS: 87-90-1 RTECS: XZ1925000

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:SEVERE IRRITATION AND/OR BURNS TO EYES,SKIN,RESPIRATORY TRACT,MUCOUS MEMBRANES AND GASTROINTESTINAL TRACT.

Explanation of Carcinogenicity: NOT KNOWN TO BE CARCINOGENIC. Effects of Overexposure: NONE EXPECTED AT USE CONCENTRATIONS.

First Aid

First Aid:FLUSH WITH WATER FOR 15 MIN.CALL PHYSICIAN,FOR SKIN CONTACT.EYES:FLUSH W/WATER FOR 15 MIN,CALL PHYSICIAN.INGESTION:DRINK LARGE QUANTITIES OF WATER.DO NOT INDUCE VOMITING.CALL PHYSICIAN.INHALATION:REMO VE VICTIM TO FRESH AIR,CALL



PHYSICIAN.

Fire Fighting

Extinguishing Media: DELUGE WITH WATER. USE WATER SPRAY TO COOL CONTAINERS EXPOSED TO FIRE.

Fire Fighting Procedures: CONTACT WITH MOST ORGANIC OR EASILY OXIDIZED MATERIALS MAY RESULT IN FIRE.USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS.CLEAN UP IN MANNER TO MINIMIZE CONTAMINATION W/ORGANIC MATERIAL.PLACE IN FRESH CONTAINER AND ISOLATE OUTSIDE OR IN A WELL-VENTILATED AREA.DO NOT SEAL **CONTAINER**

Handling

Handling and Storage Precautions: DO NOT GET IN EYES, ON SKIN OR ON CLOTHING.DO NOT TAKE INTERNALLY.UPON CONTACT WITH SKIN OR EYES WASH OFF WITH WATER.AVOID BREATHING DUST.

Other Precautions: PROTECT AGAINST PHYSICAL DAMAGE.STORE IN A COOL, DRY, WELL-VENT. PLACE AWAY FROM FLAMMABLE LIQUIDS, COMBUST, OR OXIDIZABLE MATERIALS.DRUMS MAY RUPTURE IF CONTENTS ARE EXPOSED TO HEAT, BECOME CONTAMINATED OR WET.

Exposure Controls

Respiratory Protection: WEAR NIOSH/MSHA APPROV. CHLORINE/DUST RESP. IF EXCESSIVE DUSTING OCCURS.

Ventilation: LOCAL MECHANICAL EXHAUST VENTILATION RECOMMENDED TO

MINIMIZE EMPLOYEE EXPOSURE. Protective Gloves: IMPERVIOUS Eye Protection: GOGGLES

Other Protective Equipment: COVERALLS AND IMPERVIOUS BOOTS.

Supplemental Safety and Health

SEVERE IRRITATION TO EYES, SKIN AND MUCOUS MEMBRANES.

Chemical Properties

Melt/Freeze Pt:M.P/F.P Text:225-240C

Vapor Pres:NIL Spec Gravity: 2.1

Evaporation Rate & Reference: NIL

Solubility in Water: 1.2%

Appearance and Odor: WHITE CRYSTALLINE 2"STICKS WITH ODOR OF CHLORINE

Percent Volatiles by Volume: NIL

Stability

Stability Indicator/Materials to Avoid:YES ORGANIC MATERIALS EASILY CHLORINATED OR OXIDIZED MATERIALS, AMMONIA, AMMONIUM SALTS, UREA, ACIDS, BASES. Stability Condition to Avoid: CONTAMINATION WITH SMALL AMOUNTS OF WATER, EXCESSIVE HEAT

Disposal

Waste Disposal Methods: DISPOSE OF CONTAMINATED PRODUCT, EMPTY CONTAINERS AND MATERIALS USED IN CLEANING UP SPILLS OR LEAKS IN A MANNER APPROVED FOR THIS MATERIAL.CONSULT APPROPRIATE FEDERAL, STATE AND LOCAL REGULATORY AGENCIE S TO ASCERTAIN PROPER DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.