



ALL CLIMATE VACUUM PUMP OIL(13203,13204)

MSDS Number

BBBTC

National Stock Number

9150-00B180006

Product Name

ALL CLIMATE VACUUM PUMP OIL(13203,13204)

Manufacturer

ROBINAIR DIV

Product Identification

Product ID:ALL CLIMATE VACUUM PUMP OIL(13203,13204)

MSDS Date:09/19/1985

FSC:9150

NIIN:00B180006

MSDS Number: BBBTC

Responsible Party

ROBINAIR DIVISION

MONTPELIER , OH 43543

US

Emergency Phone: 419485-5561

Cage: DO901

Contractor

ROBINAIR/SPX CORP

MONTPELIER, OH 43543

US

419-485-5561

Cage: 0HUY3

Ingredients

REFINED PETROLEUM OILS

CAS: 64742-65-0

RTECS: SE7500000

Fraction By Weight: 100%

ACGIH TLV: 5MG/M3

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY BE MILDLY IRRITATING.PRACTICALLY

NON-IRRITATING(0.7-1.7/110,DRAIZE)

Effects of Overexposure:PROLONGED AND/OR FREQUENT CONTACT MAY CAUSE DRYING,CRACKING(DERMATITIS)OR FOLLICULITIS.

First Aid

First Aid:EYES:FLUSH W/LARGE VOLUMES OF WATER.SEE PHYSICIAN IF ANY COMPLICATIONS ARISE.INHALATION:REMOVE TO FRESH AIR.RESPIRATORY SUPPORT IF NECESSARY.SEEK MEDICAL AID.INGESTION:DO NOT INDUCE VOMITING.SEEK MEDI CAL AID.SKIN:WASH W/SOAP AND WATER.NO NOT WEAR HEAVILY CONTAMINATED CLOTHING BEFORE LAUNDERING.

Fire Fighting



Flash Point Method:COC
Flash Point:224(435)
Extinguishing Media:CO2,DRY CHEMICAL,FOAM OR WATER FOG
Unusual Fire/Explosion Hazard:WATER MAY CAUSE FROTHING.

Accidental Release

Spill Release Procedures:REMOVE SOURCES OF HEAT OR IGNITION,PROVIDE ADEQUATE VENTILATION,CONTAIN LEAK.ABSORB SMALL SPILLS WITH SUITABLE MATERIAL SUCH AS RAGS,STRAW OR SAND.REPORT SPILLS AS REQUIRED TO APPROPRIATE AUTHORITIES.

Handling

Handling and Storage Precautions:STORE BELOW 120F.DO NOT APPLY HIGH HEAT OR FLAME TO CONTAINER.KEEP SEPARATE FROM STRONG OXIDIZING AGENTS.
Other Precautions:EMPTY CONTAINERS MAY CONTAIN PRODUCT RESIDUE WHICH COULD INCLUDE FLAMMABLE OR EXPLOSIVE VAPORS.

Exposure Controls

Respiratory Protection:NORMALLY NONE REQUIRED.IF HIGH VAPOR OR MIST CONCENTRATIONS EXPECTED,USE RESPIRATOR NIOSH/MSHA APPROVED IS REQUIRED.
Ventilation:LOCAL EXHAUST TO KEEP MISTS BELOW TLV.
Protective Gloves:OIL IMPERVIOUS GLOVES
Eye Protection:SAFETY GOGGLES,/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:WEAR BODY-COVERING WORK CLOTHES TO AVOID PROLONGED OR REPEATED EXPOSURE.
Work Hygienic Practices:LAUNDRY SOILED WORK CLOTHES BEFORE REUSE.
Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:760MMHG,373
Vapor Pres:25C Vapor Density:>5
Spec Gravity:0.87
Evaporation Rate & Reference:Appearance and Odor:FAINT YELLOW OR AMBER LIQUID,BLAND ODOR.
Percent Volatiles by Volume:NEGLIG

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS
Hazardous Decomposition Products:THERMAL,UNLESS OTHERWISE SPECIFIED,CO,CO2

Disposal

Waste Disposal Methods:IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE IF THE MATERIAL IS A HAZARDOUS WASTE AT THE TIME OF DISPOSAL.CHECK BEFORE DISPOSING TO BE SURE YOU ARE IN COMPLIANCE W/ALL APPLICABLE LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.