

CHOKE&CARBURETOR CLEANER 610

MSDS Number

BBBTT

National Stock Number

7930-00B190007

Product Name

CHOKE&CARBURETOR CLEANER 610

Manufacturer

SAFETY KLEEN CORP

Product Identification

Product ID:CHOKE&CARBURETOR CLEANER 610 MSDS Date:09/29/1987 FSC:7930

NIIN:00B190007 MSDS Number: BBBTT

Responsible Party

SAFETY-KLEEN CORP

777 BIG TIMBER ROAD

ELGIN, IL 60123

US

Emergency Phone: 312697-8460

Info Phone: 312697-8460

Cage: 30530

Contractor

SAFETY-KLEEN CORP

COLUMBIA, SC 29201

US

1-803-933-4200 Cage: 30530

Ingredients

METHYL ALCOHOL (METHANOL) (SARA III)

CAS: 67-56-1

RTECS: PC1400000

Fraction By Weight: 16%

OSHA PELS,200PPM/250STEL

ACGIH TLV: S,200PPM/250STEL; 93 EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

DIACETONE ALCOHOL (4-HYDROXY-4-METHYL-2-PENTANONE)

CAS: 123-42-2 RTECS: SA9100000

Fraction By Weight: 8%



OSHA PEL50 PPM

ACGIH TLV: 50 PPM; 9192

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 15%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIANT; 9192

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: 24%

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS DOT Report Quantity: 5000 LBS

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 37%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192 EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: IN CONFINED AREAS, VAPORS IN HIGH CONCENTRATIONS CAN BE ANESTHETIC-IRRITANT TO SKIN, EYES AND

RESPIRATORY SYSTEM.HARMFUL OR FATAL IF SWALLOWED.

Effects of Overexposure: OVEREXPOSURE MAY RESULT IN

LIGHT-HEADEDNESS, STAGGERING GAIT, GIDDINESS AND NAUSEA.

First Aid

First Aid: BREATHING-REMOVE PATIENT TO FRESH AIR. EYES-IRRIGATE WITH WATER FOR 15 MIN.SKIN-WASH WITH SOAP AND WATER.INGESTION-CALL A PHYSICIAN.DO NOT INDUCE VOMITING.

Fire Fighting

Lower Limits: 1.1 Upper Limits: 6.7

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR FOAM.

Fire Fighting Procedures: WATER MAY BE USED TO COOL OR TO KEEP

CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FLAMMABLE AEROSOL.DO NOT SPRAY NEAR FIRE.AVOID EXPOSURE TO DIRECT SUNLIGHT OR OTHER HEAT TO AVOID EXCESS PRESSURE IN THE CONTAINER.



Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE AREA. AVOID BREATHING VAPORS. REMOVE RESIDUE WITH INERT ABSORBENT.

Handling

Handling and Storage Precautions: DO NOT STORE ABOVE 120F.STORE AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR HEAT MAY CAUSE BURSTING.

Other Precautions: KEEP AWAY FROM CHILDREN.DO NOT PUNCTURE OR INCINERATE.DO NOT SPRAY NEAR FIRE OR FLAME.

Exposure Controls

Respiratory Protection: NORMALLY NONE REQUIRED WHEN USED WITH ADEQUATE VENTILATION.

Ventilation: LOCAL EXHAUST OR MECHANICAL AS NEEDED.

Protective Gloves: NEOPRENE GLOVES Eye Protection: SAFETY GLASSES

Work Hygienic Practices: DO NOT SMOKE WHILE USING THIS PRODUCT.

Supplemental Safety and Health

Chemical Properties

Boiling Pt:B.P. Text:-42F-232F

Vapor Pres:25-71 Vapor Density:>1

Appearance and Odor: CLEAR SPRAY MIST HAS CHARACTERISTIC KETONE/ALCOHOL

ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
Stability Condition to Avoid:DO NOT STORE ABOVE 120F.
Hazardous Decomposition Products:BY COMBUSTION-CARBON MONOXIDE,CARBON DIOXIDE.

Disposal

Waste Disposal Methods: DO NOT INCINERATE. DISPOSE OF IN ACCORDANCE WITH COMPANY, LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.