

## **STP (R) LEAD SUBSTITUTE**

### **MSDS Number**

BBBTX

### **National Stock Number**

6850-00B190010

### **Product Name**

STP (R) LEAD SUBSTITUTE

### **Manufacturer**

STP CORP

### **Product Identification**

Product ID:STP (R) LEAD SUBSTITUTE

MSDS Date:08/26/1986

FSC:6850

NIIN:00B190010

MSDS Number: BBBTX

### **Responsible Party**

STP CORPORATION

88 LONG HILL STREET

EAST HARTFORD , CT 06108

US

Cage: STPCO

### **Contractor**

STP CORPORATION

3070

EAST HARTFORD, CT 06108

US

800-822-4357

Cage: STPCO

### **Ingredients**

MINERAL SPIRITS

CAS: 64742-47-8

TRADE SECRET ADDITIVES MIXTURES

### **Hazards**

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SWALLOWING:NAUSEA AND VOMITING MAY OCCUR.ASPIRATION INTO THE LUNGS MAY OCCUR DURING INGESTION OR VOMITING.INHALATION:NOSE AND THROAT IRRITATION,RESPIRATORY IRRITATION,DIZZINESS,DROWSINESS AND COMA.SKI N IRRITATION CAUSING REDDENING,SWELLING.EYE CONTACT:MAY CAUSE DISCOMFORT,EXCESS TEARS,REDDENING OF THE CONJUNCTIVA.

Effects of Overexposure:PROLONGED INHALATION TO HYDROCARBONS CAN CAUSE DIZZINESS,WEAKNESS,WEIGHT LOSS,ANEMIA,A FEELING OF AGITATION,PLUS PAIN,NUMBNESS AND A TINGLING SENSATION IN THE LIMBS.THE RED BLOOD CELL COUNT MAY BE RED UCED,BONE MARROW MAY BE HYPOPLASTIC,ANDPROTEINURIA AND HEMATURIA MAY BE FOUND.SKIN IRRITATION CAN OCCUR.

Medical Cond Aggravated by Exposure:PRE-EXISTING DERMATITIS.BREATHING

OF VAPOR AND/OR MIST MAY AGGRAVATE ASTHMA AND INFLAMMATORY OF FIBROTIC PULMONARY DISEASE.

## First Aid

First Aid:DO NOT INDUCE VOMITING.SEEK MEDICAL ATTENTION.SKIN:REMOVE CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY W/SOAP AND WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.INHALATION:REMOVE FROM EXPOSURE. GENERAL SUPPORTIVE MEASURES.IF EXPOSUREIS SEVERE,HOSPITALIZE AND OBSERVE.EYES:FLUSH WITH COPIOUS AMOUNTS OF WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

## Fire Fighting

Flash Point Method:TOC  
Flash Point:119F  
Extinguishing Media:WATER FOG,ALCOHOL FOAM,CARBON DIOXIDE,AND DRY CHEMICAL.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE EXPECTED.

## Accidental Release

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AND REMOVE ALL SOURCES OF IGNITION.COLLECT MATERIAL FOR DISPOSAL IN A CONTAINER SUITABLE FOR FLAMMABLE WASTE.

## Handling

Handling and Storage Precautions:KEEP AWAY FROM SOURCES OF HEAT AND FLAME.USE WITH ADEQUATE VENTILATION.  
Other Precautions:AVOID EYE AND SKIN CONTACT.WASH THOROUGHLY AFTER HANDLING.

## Exposure Controls

Respiratory Protection:N/R UNDER NORMAL USE.FOR VAPOR BUILD-UP AND FOR MAJOR SPILL CLEAN-UP,USE NIOSH/MSHA APPROVED RESPIRATION EQUIPPED WITH DUAL CARTRIDGES FOR PROTECTION AGAINST ORGANIC VAPOR AND MISTS.  
Ventilation:GENERAL(MECHANICAL)VENTILATION IS ADEQUATE FOR NORMAL HANDLING.FOR VAPOR BUILD-UP,LOCAL EXHAUST VENTILATION IS REQUIRED.  
Protective Gloves:NEOPRENE OR NITRILE RUBBER GLOVES.  
Eye Protection:CHEMICAL SAFETY GOGGLES.  
Other Protective Equipment:EYE WASH AND SAFETY SHOWERS.LONG SLEEVE SHIRTS RECOMMENDED.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.  
Supplemental Safety and Health

## Chemical Properties

Boiling Pt:B.P. Text:318-383  
Vapor Pres:LOW  
Vapor Density:>1  
Evaporation Rate & Reference:Solubility in Water:NIL  
Appearance and Odor:AMBER LIQUID,HEAVY ODOR.  
Percent Volatiles by Volume:80

## Stability

THIS PRODUCT IS INCOMPATIBLE WITH STRONG OXIDIZING AGENTS,STRONG ACIDS OR BASES,AND SELECTED AMINES.  
Hazardous Decomposition Products:COMBUSTION MAY PRODUCE OXIDES OF CARBON,SULFUR AND SODIUM

## Disposal

Waste Disposal Methods:WASTE MATERIAL IS A RCRA HAZARDOUS WASTE DUE TO IGNITABILITY IF DISCARDED IN ITS PURCHASED FORM.INCINERATION OR LANDFILLING SHOULD BE CARRIED OUT IN ACCORDANCE W/APPLICABLE RCRA,FEDERAL,STATE AND LOCA L REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.