STP (R) GAS TREATMENT

MSDS Number

BBBVB

National Stock Number

6850-00B190013

Product Name

STP (R) GAS TREATMENT

Manufacturer

STP CORP

Product Identification

Product ID:STP (R) GAS TREATMENT
MSDS Date:11/03/1986
FSC:6850
NIIN:00B190013
MSDS Number: BBBVB

Responsible Party

STP CORPORATION

88 LONG HILL STREET

EAST HARTFORD , CT 06108

US

Cage: STPCO

Contractor

STP CORPORATION

3070

EAST HARTFORD, CT 06108

US

800-822-4357

Cage: STPCO

Ingredients

STODDARD SOLVENT

CAS: 8052-41-3

RTECS: WJ8925000

OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293

TRADE SECRET ADDITIVES

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:SWALLOWING:NAUSEA AND VOMITING MAY OCCUR.ASPIRATION INTO THE LUNGS MAY OCCUR DURING INGESTION OR VOMITING.INHALATION:NOSE AND THROAT IRRITATION,RESPIRATORY IRRITATION,DIZZINESS,DROWSINESS AND COMA.SKI N IRRITATION CAUSING REDDENING&SWELLING.EYE CONTACT:MAY CAUSE DISCOMFORT,EXCESS TEARS,REDDENING OF THE CONJUNCTIVA.
Effects of Overexposure:OVEREXPO.TO PETROLEUM DISTILLATES CAN CAUSE DIZZINESS,WEAKNESS,WEIGHT LOSS,ANEMIA,A FEELING OF AGITATION,PLUS

PAIN,NUMBNESS AND A TINGLING SENSATION IN THE LIMBS.THE RED BLOOD CELL COUNT MAY BE REDUCE D,BONE MARROW MAY BE HYPOPLASTIC,AND PROTEINURIA AND HEMATURIA MAY BE FOUND.SKIN IRRITATION CAN OCCUR.
Medical Cond Aggravated by Exposure:PRE-EXISTING DERMATITIS.BREATHING OF VAPOR AND/OR MIST MAY AGGRAVATE ASTHMA AND INFLAMMATORY OF FIBROTIC PULMONARY DISEASE.

First Aid

First Aid:DO NOT INDUCE VOMITING.SEEK MEDICAL ATTENTION.SKIN:REMOVE CONTAMINATED CLOTHING AND WASH SKIN THOROUGHLY W/SOAP AND WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.INHALATION:REMOVE FROM EXPOSURE. GENERAL SUPPORTIVE MEASURES.IF EXPOSUREIS SEVERE,HOSPITALIZE AND OBSERVE.EYES:FLUSH WITH COPIOUS AMOUNTS OF WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.

Fire Fighting

Flash Point Method:TOC
Extinguishing Media:WATER FOG,FOAM,ALCOHOL FOAM,CARBON DIOXIDE,AND DRY CHEMICAL.
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS FOR CONFINED SPACE ENTRY.COMBUSTIBLE LIQUID MAY REACT WITH STRONG OXIDIZING MATERIALS.
Unusual Fire/Explosion Hazard:NONE EXPECTED.

Accidental Release

Spill Release Procedures:WEAR APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT AND REMOVE ALL SOURCES OF IGNITION.COLLECT MATERIAL FOR DISPOSAL IN A CONTAINER SUITABLE FOR FLAMMABLE WASTE.

Handling

Handling and Storage Precautions:KEEP AWAY FROM SOURCES OF HEAT AND FLAME.USE WITH ADEQUATE VENTILATION.
Other Precautions:AVOID EYE AND SKIN CONTACT.WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:N/R UNDER NORMAL USE.FOR VAPOR BUILD-UP AND FOR MAJOR SPILL CLEAN-UP,USE NIOSH/MSHA APPROVED RESPIRATION EQUIPPED WITH DUAL CARTRIDGES FOR PROTECTION AGAINST ORGANIC VAPOR AND MISTS.
Ventilation:GENERAL(MECHANICAL)VENTILATION IS ADEQUATE FOR NORMAL HANDLING.FOR VAPOR BUILD-UP,LOCAL EXHAUST VENTILATION IS REQUIRED.
Protective Gloves:NEOPRENE OR NITRILE RUBBER GLOVES
Eye Protection:CHEMICAL SAFETY GOGGLES
Other Protective Equipment:EYE WASH AND SAFETY SHOWERS.LONG SLEEVE SHIRTS RECOMMENDED.
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.
Supplemental Safety and Health

Chemical Properties

Vapor Density:6.81
Evaporation Rate & Reference:Solubility in Water:NIL
Appearance and Odor:ODOR OF MINERAL SPIRITS;CLEAR LIGHT BROWN COLOR.
Percent Volatiles by Volume:69

Stability

MAY REACT WITH STRONG OXIDIZING MATERIALS.
Hazardous Decomposition Products:COMBUSTION MAY PRODUCE CARBON MONOXIDE,CARBON DIOXIDE,AND OXIDES OF NITROGEN.

Disposal

Waste Disposal Methods:WASTE MATERIAL IS A RCRA HAZARDOUS WASTE DUE TO IGNITABILITY IF DISCARDED IN ITS PURCHASED FORM.INCINERATION OR LANDFILLING SHOULD BE CARRIED OUT IN ACCORDANCE W/APPLICABLE RCRA,FEDERAL,STATE AND LOCA L REGULATIONS.

msdsreport
your source for safety

https://msdsreport.com/msds/BBBVB

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.