

SAFETY-KLEEN SPRAY PENETRANT 611, PART #7714

MSDS Number

BBBWY

National Stock Number

6810-00B190053

Product Name

SAFETY-KLEEN SPRAY PENETRANT 611, PART #7714

Manufacturer

SAFETY KLEEN CORP

Product Identification

Product ID:SAFETY-KLEEN SPRAY PENETRANT 611,PART #7714 MSDS Date:01/01/1987 FSC:6810 NIIN:00B190053 MSDS Number: BBBWY

Responsible Party

SAFETY-KLEEN CORP.

777 BIG TIMBER ROAD

ELGIN , IL 60120

US

Emergency Phone: 312-697-8460

Info Phone: 312-697-8460

Cage: 30530

Contractor

SAFETY-KLEEN CORP

COLUMBIA, SC 29201

US

1-803-933-4200

Cage: 30530

Ingredients

PETROLEUM DISTILLATES CAS: 80020-50-9 OSHA PEL500 PPM ACGIH TLV: 100 PPM

2-BUTOXYETHANOL CAS: 111-76-2 RTECS: KJ8575000 OSHA PELS, 50 PPM ACGIH TLV: S, 25 PPM; 9293

PROPANE

CAS: 75-28-5

RTECS: TZ4300000

OSHA PEL1000 PPM

ACGIH TLV: 1000 PPM

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:IN CONFINED AREAS,VAPORS IN HIGH CONCENTRATIONS CAN BE ANESTHETIC-IRRITANT TO SKIN,EYES AND RESPIRATORY SYSTEM. HARMFUL OR FATAL IF SWALLOWED. Effects of Overexposure:OVEREXPOSURE MAY RESULT IN LIGHT-HEADEDNESS,STAGGERING GAIT,GIDDINESS AND NAUSEA.

•

First Aid

First Aid:BREATHING-REMOVE PATIENT TO FRESH AIR. EYES-IRRIGATE WITH WATER FOR 15 MIN. SKIN-WASH WITH SOAP AND WATER. INGESTION-CALL A PHYSICIAN. DO NOT INDUCE VOMITING.

Fire Fighting

Lower Limits:0.7

Upper Limits: 7.0 Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL OR FOAM Fire Fighting Procedures: WATER MAY BE USED TO COOL OR TO KEEP COOL CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:FLAMMABLE AEROSOL.DO NOT SPRAY NEAR FLAME.AVOID EXPOSURE TO DIRECT SUNLIGNT OR OTHER HEAT TO AVOID EXCESS PRESSURE IN THE CONTAINER.

Accidental Release

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. VENTILATE. AVOID BREATHING VAPORS. REMOVE RESIDUE WITH INERT ABSORBENT.

Handling

Handling and Storage Precautions: DO NOT STORE ABOVE 120F.STORE AT ROOM TEMPERATURE AS EXPOSURE TO DIRECT SUNLIGHT OR HEAT MAY CAUSE BURSTING.KEEP AWAY FROM CHILDREN. Other Precautions: DO NOT PUNCTURE OR INCINERATE. DO NOT SPRAY NEAR FIRE OR FLAME.

Exposure Controls

Respiratory Protection:NONE REQUIRED WHEN USED WITH ADEQUATE VENTILATION Ventilation:LOCAL EXHAUST/MECHANICAL Protective Gloves:YES-FOR PROLONGED OR REPEATED CONTACT Eye Protection:SAFETY GLASSES Work Hygienic Practices:DO NOT SMOKE USING THIS PRODUCT. Supplemental Safety and Health THIS IS A FLAMMABLE AEROSOL.

Chemical Properties

Boiling Pt:B.P. Text:-42 TO 390F Vapor Pres:25-71 @20C Vapor Density:>1 Appearance and Odor:CLEAR SPRAY MIST HAS CHARACTERISTIC HYDROCARBON ODOR

Stability

Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:DO NOT STORE ABOVE 120F. Hazardous Decomposition Products:BY COMBUSTION-CARBON MONOXIDE,CARBON DIOXIDE

Disposal

Waste Disposal Methods: DO NOT INCINERATE. DISPOSE OF IN ACCORDANCE WITH



repoi

ms

https://msdsreport.com/msds/BBBWY

COMPANY, LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.