DRI-KEM

MSDS Number

BBBXM

National Stock Number

6850-00B200009

Product Name

DRI-KEM

Manufacturer

THETFORD CORP

Product Identification

Product ID:DRI-KEM
MSDS Date:04/29/1988
FSC:6850
NIIN:00B200009
MSDS Number: BBBXM

Responsible Party

THETFORD CORPORATION

7101 JACKSON ROAD

ANN ARBOR , MI 48103

US

Emergency Phone: 313769-6000;313769-6003

Cage: DO910

Contractor

THETFORD CORPORATION

ANN ARBOR, MI 48103

US

734-769-6000

Cage: DO910

Ingredients

PARAFORMALDEHYDE (SARA III)

CAS: 30525-89-4

RTECS: RV0540000

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:CAN PRODUCE EYE DAMAGE & SKIN SENSITIZATION.MUTAGENIC ACTIVITY IN BACTERIAL & MAMMALIAN CELL TEST SYMPTOMS-BUT NOT MUTAGENIC IN WHOLE ANIMAL SYSTEMS.NOT TETRATOGENIC.HIGH INHALATION EXPOSURE MAY CAUSE BRONCHOPNEUMONIA AND EDEMA.
Effects of Overexposure:INHALATION PRODUCES IRRITATION TO UPPER RESPIRATORY TRACT & EYE IRRITATION.MAY INCLUDE DISCOMFORT SUCH AS NAUSEA,HEADACHE OR WEAKNESS.SKIN CONTACT PRODUCES IRRITATION WITH DISCOMFORT AND RASH.EYE CONT ACT CAUSES IRRITATION OR SEVERE BURNS.
Medical Cond Aggravated by Exposure:PERSONS HAVING PRE-EXISTING DISEASES OF THE LUNGS,EYES OR SKIN MAY HAVE INCREASED

SUSCEPTIBILITY TO HAZARDS OF EXCESSIVE EXPOSURE.

First Aid

First Aid:FLUSH CONTACTED AREA WITH LARGE AMOUNTS OF WATER.IRRIGATE EYES FOR A MINIMUM OF 15 MINUTES.IF SWALLOWED,INDUCE VOMITING BY GIVING 2 GLASSES OF WATER AND STICKING FINGER DOWN THROAT.FOR EYE CONTACT OR INGESTION,CALL A PHYSICIAN.

Fire Fighting

Flash Point Method:TCC
Flash Point:131F
Lower Limits:7.0
Upper Limits:73.0
Extinguishing Media:WATER,DRY CHEMICAL,CARBON DIOXIDE,OR FOAM
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:SWEEP SPILLED MATERIALS UP.FLUSH AREA WITH LARGE AMOUNTS OF WATER.
Neutralizing Agent:DILUTE AMMONIA SOLUTION

Handling

Handling and Storage Precautions:DO NOT STORE ABOVE 110F.DO NOT GET ON SKIN OR IN EYES.DO NOT INHALE VAPORS OR DUST.
Other Precautions:WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:WEAR SELF-CONTAINED BREATHING APPARATUS FOR LARGE SPILLS.
Ventilation:MAINTAIN ADEQUATE VENTILATION.
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Other Protective Equipment:PROTECTIVE CLOTHING TO AVOID SKIN CONTACT.EYE WASH AND SAFETY SHOWER.
Work Hygienic Practices:AVOID UNNECESSARY AND PROLONGED EXPOSURES.AVOID BREATHING DUST.
Supplemental Safety and Health

Chemical Properties

Melt/Freeze Pt:M.P/F.P Text:120-170C
Vapor Pres:1.0
Vapor Density:1.03
Spec Gravity:1.45 GM/ML
Solubility in Water:90%
Appearance and Odor:BLUE GRANULES WITH PUNGENT ODOR.

Stability

Stability Indicator/Materials to Avoid:YES
STRONG ALKALIES,INORGANIC ACIDS,ISOCYANATES,ANHYDRIDES,OXIDES.
Stability Condition to Avoid:ELEVATED TEMPERATURES.
Hazardous Decomposition Products:THERMAL DECOMP.MAY PRODUCE CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Disposal

Waste Disposal Methods:INCINERATION OR BIOLOGICAL TREATMENT IN A FEDERAL/STATE APPROVED TREATMENT FACILITY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

msdsreport
your source for safety

https://msdsreport.com/msds/BBBXM