



DURABOND D-3001 ACRYLIC COVE BASE ADHESIVE

MSDS Number

BBYL

National Stock Number

8040-00B210012

Product Name

DURABOND D-3001 ACRYLIC COVE BASE ADHESIVE

Manufacturer

USG INDUSTRIES INC

Product Identification

Product ID:DURABOND D-3001 ACRYLIC COVE BASE ADHESIVE

MSDS Date:01/01/1987

FSC:8040

NIIN:00B210012

MSDS Number: BBYL

Responsible Party

USG INDUSTRIES, INC.

101 S. WACKER DRIVE

CHICAGO , IL 60606

US

Emergency Phone: 312-321-4382/4383

Info Phone: 312-321-4383(DAY) 312-321-4382(NITE)

Cage: DO913

Contractor

USG INDUSTRIES, INC.

CHICAGO, IL 60606

US

312-321-4383(DAY) 312-321-4382(NITE)

Cage: DO913

Ingredients

PETROLEUM DISTILLATES(MINERAL SPIRITS)

CAS: 64475-85-0

RTECS: PY8240000

Fraction By Weight: 1-5%

ACGIH TLV: 100PPM

ETHYLENE GLYCOL (SARA III)

CAS: 107-21-1

RTECS: KW2975000

Fraction By Weight: 1-5%

OSHA PELC 50 PPM

ACGIH TLV: C 50 PPM,VAPOR; 9192

EPA Report Quantity: 1 LB



DOT Report Quantity: 1 LB

BUTYL BENZYL PHTHALATE (SARA III)

CAS: 85-68-7

RTECS: TH9990000

Fraction By Weight: 1-5%

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

ZIRAM

CAS: 137-30-4

Fraction By Weight: 0.1-0.5%

Hazards

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards Acute and Chronic: ACUTE-IRRITATING TO EYES. POSSIBLE SKIN IRRITATION FROM PROLONGED CONTACT DUE TO DEFATTING ACTION. CHRONIC-CHRONIC FEEDING OF BUTYL BENZYL PHTHALATE MAY OR MAY NOT CAUSE CANCER IN LAB ANIMALS (NEG. IN MICE, INDEFINITE IN RATS). CHRONIC FEEDING OF ZIRAM MAY OR MAY NOT CAUSE CANCER IN LAB ANIMALS (INDEFINITE ACCORDING TO IARC)

First Aid

First Aid: EYES-FLUSH EYES WITH WATER FOR 15 MIN. IF IRRITATION PERSISTS, SEE PHYSICIAN. SKIN-WASH WITH SOAP AND WATER. INGESTION-DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

Fire Fighting

Flash Point Method: PMCC
Flash Point: 193F
Extinguishing Media: WILL NOT SUPPORT COMBUSTION. WILL NOT PROPAGATE FLAME.
Fire Fighting Procedures: NONE
Unusual Fire/Explosion Hazard: NONE

Accidental Release

Spill Release Procedures: SCRAPE UP AND PLACE CONTENTS IN WASTE CONTAINERS. WASH AREA WITH SOAP AND WATER BEFORE ADHESIVE DRIES.

Exposure Controls

Respiratory Protection: NONE NORMALLY REQUIRED. USE NIOSH-APPROVED RESPIRATOR FOR ORGANIC VAPOR IF TLV IS EXCEEDED.
Ventilation: LOCAL EXHAUST IF ABOVE TLV
Eye Protection: SAFETY GLASSES RECOMMENDED
Supplemental Safety and Health

Chemical Properties

Boiling Pt: B.P. Text: 212F
Spec Gravity: 1.32
Appearance and Odor: OFF-WHITE HEAVY PASTE WITH SWEET ODOR

Stability

Stability Indicator/Materials to Avoid: YES

Disposal

Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):



This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.