

# VIRGINIA #10 DEGREASING SOLVENT, D-1

## **MSDS Number**

**BBCBJ** 

# **National Stock Number**

6850-00D000003

### **Product Name**

VIRGINIA #10 DEGREASING SOLVENT, D-1

#### Manufacturer

VIRGINIA CHEM INC

#### **Product Identification**

Product ID:VIRGINIA #10 DEGREASING SOLVENT, D-1 MSDS Date:01/01/1985 FSC:6850 NIIN:00D000003 MSDS Number: BBCBJ

# **Responsible Party**

VIRGINIA CHEM, INC

801 WATER ST

PORTSMOUTH, VA 23704

US

Cage: DO921

# **Contractor**

VIRGINIA CHEMICALS INC

PORTSMOUTH, VA 23704

US

804-893-3247 Cage: 87698

# **Ingredients**

METHYLENE CHLORIDE (SARA III)

CAS: 75-09-2

RTECS: PA8050000

OSHA PEL500 PPM/C,1000; Z2 ACGIH TLV: 50 PPM, A2; 9192 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

STODDARD SOLVENT

CAS: 8052-41-3 RTECS: WJ8925000 OSHA PEL500 PPM

ACGIH TLV: 100 PPM; 9293



CAS: 127-18-4

RTECS: KX3850000

OSHA PEL100 PPM

ACGIH TLV: 25PPM/100,A3 STEL;94

EPA Report Quantity: 100 LBS DOT Report Quantity: 100 LBS

#### **Hazards**

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Effects of Overexposure: EYES: IRRIT, BURNS. SKIN: IRRIT, DRYNESS,

DERMATITIS. INH: INTOXICATION, HDACHE, NAUSEA, COMA.

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

#### First Aid

First Aid:EYES/SKIN: FLUSH W/WATER 15 MIN. FOR EYES, SEEK MD. IF

SWALLOWED, DO NOT INDUCE VOMIT.

### Fire Fighting

Flash Point: 175F CC, INITIAL

Extinguishing Media: CARBON DIOXIDE OR DRY CHEM

Fire Fighting Procedures: NONE

Unusual Fire/Explosion Hazard: MAY EMIT HIGHLY TOXIC, IRRIT FUMES WHEN

INVOLVED IN FIRE

#### **Accidental Release**

Spill Release Procedures: SAME STEPS AS USED W/KEROSENE OR FUEL OIL. USE

ABSORBENT. KEEP SPARKS & FLAME AWAY.

 $\label{lem:none_specified_by_manufacturer.} Neutralizing \ Agent: NONE \ SPECIFIED \ BY \ MANUFACTURER.$ 

### Handling

Handling and Storage Precautions: STORE IN COOL, DRY, WELL-VENT AREA,

AWAY FROM AREA SUSCEPTIBLE TO FIRE.

Other Precautions: CONTAM BY WATER MAY CAUSE RUSTING OF MILD STEEL

**CNTNRS** 

## **Exposure Controls**

Respiratory Protection: NONE SPECIFIED BY MANUFACTURER.

Ventilation: PROVIDE ADEQUATE VENT, MECH REC

Protective Gloves: RUBBER

Eye Protection: GOGGLES

Other Protective Equipment: RUBBER APRON, PROVIDE GOOD PERSONAL HYGIENE

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

REC ANNUAL PHYSICAL EXAMS FOR EXPOSED PERSONNEL. PRECLUDE FROM EXPOSURE

INDIVIDUALS W/DISEASES OF SKIN, BLOOD, CENTRAL NERVOUS SYSTEM.

## **Chemical Properties**

HCC:T4

Boiling Pt:B.P. Text:IBP >104F

Spec Gravity:0.96

Solubility in Water:SLIGHT

Appearance and Odor: CLEAR, MILD ORGANIC ODOR

#### **Stability**

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.

# Disposal

Waste Disposal Methods: PLACE ABSORBED MATL IN CNTNR SUITABLE FOR SHIPMENT TO DISPOSAL AREA.



Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.