

139 4832,RP X-OMAT DEVLPR REPLNSHR,PART A

MSDS Number

BBCBQ

National Stock Number

6750-00D000009

Product Name

139 4832,RP X-OMAT DEVLPR REPLNSHR,PART A

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:139 4832,RP X-OMAT DEVLPR REPLNSHR,PART A

MSDS Date:01/01/1985

FSC:6750

NIIN:00D000009

MSDS Number: BBCBQ

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 10.0%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

DIETHYLENE GLYCOL;CAS #111-46-6; WT RANGE 1-5%

CAS: 111-46-6

RTECS: ID5950000

Fraction By Weight: 5.0%

55-60%

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 60.0%

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3

RTECS: TT2100000

Fraction By Weight: 10.0%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

10-15%

RTECS: WT3530000

Fraction By Weight: 15.0%

Hazards

Effects of Overexposure:EYES:LIQ CAUSES BURNS;SKIN:PROLONGD CONTCT
CAUSES IRRITATION.REPEATD CONTCT MAY CAUSE ALLERGY ACTION

First Aid

First Aid:GET MED ATTN IN CASE OF EYE/SKIN IRRITATION OR BURNS.

Fire Fighting

Flash Point:NONE

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTD PERSONS.STOP LEAK W/O
RISK.PROVIDE VENTILATION.ABSORB SM SPILL W/COMMERCIAL ABSORBENT &
SHOVEL INTO METAL DRUM;LG SPILL:DIKE LIQ & PUMP INTO COVERD
DRUM;MFR SPECIFIES NEUTRALIZE W/ SODIUM BISULFITE.FLUSH TO SEWER
IAW EXISTING REGS.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP
CONTAINERS TIGHTLY CLOSED

Other Precautions:THE ROUTINE USE OF A NON-ALKALINE(ACID)TYPE HAND
CLEANER WILL HELP MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN
REACTION.

Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED

Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT.

Supplemental Safety and Health

MSDS FM MFR DATED:07/30/80;PART A OF 3 PART PRODUCT;ALL PARTS NEEDED TO

MAKE 10 GAL SOLUTION;PH OF PART A:11.6;SEE P/N IND B & C FOR PART B & C DATA,UNDER THIS NSN.

Chemical Properties

HCC:C2

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:17

Vapor Density:0.6

Spec Gravity:1.30

Solubility in Water:COMPLETE

Appearance and Odor:SLIGHTLY YELLOW-ODORLESS LIQUID

Percent Volatiles by Volume:70

Stability

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS,OXIDANTS.

Hazardous Decomposition Products:CO,CO*2,ETC.

Disposal

Waste Disposal Methods:PER MFR,INCINERATE,LANDFILL,OR FOLLOW STEPS ABOVE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.