

139 4832,RP X-OMAT DEVLPR REPLNSHR,PART B

MSDS Number

BBCBR

National Stock Number

6750-00D000009

Product Name

139 4832,RP X-OMAT DEVLPR REPLNSHR,PART B

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:139 4832,RP X-OMAT DEVLPR REPLNSHR,PART B

MSDS Date:01/01/1985

FSC:6750

NIIN:00D000009

MSDS Number: BBCBR

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

DIETHYLENE GLYCOL;CAS #111-46-6; % WT RANGE 50-55%.

CAS: 111-46-6

RTECS: ID5950000

Fraction By Weight: 52.5%

ACETIC ACID (SARA III)

CAS: 64-19-7

RTECS: AF1225000

Fraction By Weight: 37.5%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM/15 STEL; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

5-10%

CAS: 92-43-3

RTECS: UQ8750000

Fraction By Weight: 10.0%

Hazards

Effects of Overexposure:INH:VAP MAY CAUSE IRRITN;EYES:LIQ CONTCT MAY CAUSE BURNS;SKIN:LIQ CAUSES IRRIT/ALLERGIC REACTION.

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF NEED;EYES:FLUSH W LG AMTS H*2O FOR 15 MIN;SKIN:FLUSH W LG AMTS H*2O;INGEST:RINSE MOUTH.GET MED ATTN IF IRRITATION OF EYES/SKIN PERSISTS.

Fire Fighting

Flash Point:NONE

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:ELIM IGN SOURCES.STOP LEAK W/O RISK.WEAR PROTECTV EQUIPMNT;NEUTRALIZE SM SPILL W/SODIUM BICARBONATE.FLUSH TO SEWER IAW FED,STATE&LOCAL REGS;LG SPILL:DIKE FAR AHEAD W/COMMERCIAL ABSORBENT FOR LATER DIS POSAL OR PUMP LIQ TO COVERED DRUMS.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP CONTAINERS TIGHTLY CLOSED

Other Precautions:NONE KNOWN

Exposure Controls

Respiratory Protection:AN APPROVED ORGANIC ACID RESPIRATOR IF VENTILATION IS INADEQUATE.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:AS NECESSARY T PREVENT SKIN CONTACT.

Supplemental Safety and Health

MSDS FM MFR DATED:7/30/80;PH OF PART B APPROX 2.0;THIS IS PART B OF 3 PART PRODUCT;SEE PN IND A & C,SAME NSN,FOR PART A & PART C DATA.

Chemical Properties

HCC:C1

Boiling Pt:B.P. Text:>212F/100C

Vapor Pres:15

Vapor Density:2.07

Spec Gravity:1.11

Solubility in Water:COMPLETE

Appearance and Odor:ORGANISH OR LIGHT BROWN,VINEGAR ODOR.

Percent Volatiles by Volume:70

Stability

Stability Indicator/Materials to Avoid:YES

ALKALINE SOLUTIONS,STRONG OXIDIZERS/FLAMMABLE LIQUIDS.

Stability Condition to Avoid:NONE KNOWN

Disposal

Waste Disposal Methods:INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL,STATE & FEDERAL

REGULATIONS,OR FOLLOW STEP OF NEUTRALIZATION IAW EFFLUENT LAWS OF
FED,STATE & LOCAL.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.