

## **DOWPER SOLVENT,25202**

### **MSDS Number**

BBCGG

### **National Stock Number**

6810-00D000091

### **Product Name**

DOWPER SOLVENT,25202

### **Manufacturer**

DOW CHEMICAL U S A

### **Product Identification**

Product ID:DOWPER SOLVENT,25202

MSDS Date:05/01/1991

FSC:6810

NIIN:00D000091

MSDS Number: BBCGG

### **Responsible Party**

DOW CHEMICAL U.S.A.

CHEMICAL AND METALS DEPARTMENT

MIDLAND , MI 48674

US

Emergency Phone: 517-636-4400

Info Phone: 517-636-4400

Cage: 96717

### **Contractor**

DOW CHEMICAL CO

MIDLAND, MI 48674

US

800-258-2436

Cage: 96717

### **Ingredients**

PERCHLOROETHYLENE (TETRACHLOROETHYLENE) (SARA III)

CAS: 127-18-4

RTECS: KX3850000

Fraction By Weight: 99.9%

OSHA PEL100 PPM, Z-2

ACGIH TLV: 25PPM/100STEL,A3; 94

EPA Report Quantity: 100 LBS

DOT Report Quantity: 100 LBS

### **Hazards**

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS >5000 MG/KG.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:YES IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:LUNGS, EYES, SKIN, CNS,  
LIVER, KIDNEY. ACUTE- EYE CONTACT MAY CAUSE PAIN.

PROLONGED/REPEATED SKIN CONTACT MAY CAUSE SKIN IRRITATION/EVEN

BURN. LOW TOXICITY BY INGESTION. IF ASPIRATED, MAY CAUSE INJURY. IN CONFINED AREA, INHALATION MAY CAUSE DEATH. CHRONIC- DRYING SKIN, LIVER, KIDNEY AND CNS EFFECTS.

Explanation of Carcinogenicity:PERCHLOROETHYLENE IS NOT BELIEVED TO POSE A MEASURABLE CARCINOGENIC RISK TO MAN WHEN HANDLED AS RECOMMENDED (MSDS).

Effects of Overexposure:EYE AND SKIN IRRITATION, EYE PAIN, SKIN BURN, DRYING AND FLAKING, NASAL IRRITATION, NAUSEA, INCOORDINATION, DRUNKENESS, UNCONSCIOUSNESS, DEATH

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS, EYE PROBLEMS OR IMPAIRED LIVER, KIDNEY OR RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

## First Aid

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. INGESTION:DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

## Fire Fighting

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:INVOLVEMENT IN FIRE FORMS HYDROGEN CHLORIDE AND SMALL AMOUNTS OF PHOSGENE AND CHLORINE.

## Accidental Release

Spill Release Procedures:SMALL LEAKS:MOP UP, WIPE UP OR SOAK UP IMMEDIATELY. REMOVE TO OUT OF DOORS. LARGE SPILLS:EVACUATE AREA. CONTAIN LIQUID; TRANSFER TO CLOSED METAL CONTAINERS. KEEP OUT OF WATER SUPPLY.

Neutralizing Agent:NOT RELEVANT

## Handling

Handling and Storage Precautions:STORE IN COOL, VENTILATED AREA AWAY FROM INCOMPATIBLES. KEEP CONTAINER TIGHTLY CLOSED. KEEP OUT OF REACH OF CHILDREN.

Other Precautions:VAPORS HEAVIER THAN AIR AND WILL COLLECT IN LOW AREAS. DO NOT ENTER THESE AREAS WHERE VAPORS OF THIS PRODUCT ARE SUSPECTED UNLESS SPECIAL BREATHING APPARATUS IS USED AND AN OBSERVER IS PRESENT FOR ASSISTANCE.

## Exposure Controls

Respiratory Protection:IF TLV IS EXCEEDED OR FOR SYMPTOMS OF OVER EXPOSURE, WEAR NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR OR AIR-PURIFYING RESPIRATOR. IN EMERGENCY, WEAR A NIOSH-APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:NITRILES FOR REPEATED CONTACTS

Eye Protection:CHEMICAL GOGGLES IF CONTACT IS LIKELY

Other Protective Equipment:USE BODY-COVERING CLOTHING. SAFETY SHOWER AND EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY.

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

NOTE TO PHYSICIAN:BECAUSE RAPID ABSORPTION MAY OCCUR THROUGH LUNGS IF ASPIRATED AND CAUSE SYSTEMIC EFFECTS, THE DECISION OF WHETHER TO INDUCE VOMITING OR NOT SHOULD BE MADE BY A PHYSICIAN. EXPOSURE MAY INCREASE "MYOCARDIAL IRRITABILITY". DO NOT ADMINISTER SYMPATHOMIMETIC DRUGS UNLESS ABSOLUTELY NECESSARY.

## Chemical Properties

HCC:T4  
NRC/State Lic Num:NOT RELEVANT  
Boiling Pt:B.P. Text:250F,121C  
Vapor Pres:13 @ 68F  
Vapor Density:5.76  
Spec Gravity:1.619  
Solubility in Water:0.015 G/100 ML @ 77F  
Appearance and Odor:COLORLESS LIQUID, ETHER-LIKE ODOR  
Percent Volatiles by Volume: 100

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS & OXIDIZERS  
Stability Condition to Avoid:OPEN FLAMES, WELDING ARCS OR OTHER HIGH  
TEMPERATURE SOURCES WHICH INDUCE THERMAL DECOMPOSITION.  
Hazardous Decomposition Products:INVOLVEMENT IN FIRE FORMS HYDROGEN  
CHLORIDE AND SMALL AMOUNTS OF PHOSGENE AND CHLORINE.

## Disposal

Waste Disposal Methods:WHEN DISPOSING OF UNUSED CONTENTS, THE PREFERRED  
OPTIONS ARE TO SEND TO LICENSED RECLAIMERS OR TO PERMITTED  
INCINERATORS. OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS. DO  
NOT DUMP INTO SEWERS, ON THE GROUND, OR INTO ANY BODY OF WATER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.