

## **997 VARNISH**

### **MSDS Number**

BBCGL

### **National Stock Number**

5970-00D000096

### **Product Name**

997 VARNISH

### **Manufacturer**

DOW CORNING CORP

### **Product Identification**

Product ID:997 VARNISH  
MSDS Date:01/01/1985  
FSC:5970  
NIIN:00D000096  
MSDS Number: BBCGL

### **Responsible Party**

DOW CORNING CORP.  
3901 SOUTH SAGINAW ROAD  
MIDLAND , MI 48640  
US  
Emergency Phone: 517-496-5900  
Info Phone: 517-496-5900  
Cage: 5D028

### **Contractor**

DOW CORNING CORP  
AUBURN, MI 48611  
US  
517-496-4388  
Cage: 71984

### **Ingredients**

XYLENES (O-,M-,P- ISOMERS) (SARA III)  
CAS: 1330-20-7  
RTECS: ZE2100000  
Fraction By Weight: 50.0%  
OSHA PEL100 PPM/150 STEL  
ACGIH TLV: 100 PPM/150STEL;9192  
EPA Report Quantity: 1000 LBS  
DOT Report Quantity: 1000 LBS

2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE.

Fraction By Weight:

ACGIH TLV: 20MG/CUM.

PHENYLHEPTAMETHYLCYCLOTETRASIOXANE

Fraction By Weight:

ACGIH TLV: 200 MG/CUM.

## Hazards

Effects of Overexposure:IRRITATES SKIN & EYES.MAY CAUSE SLIGHT ANESTHESIA,HEADACHES.

## First Aid

First Aid:FLUSH WITH WATER. INHAL:MOVE TO FRESH AIR.CALL DR.

## Fire Fighting

Flash Point:80F CC.

Lower Limits:1.0.

Upper Limits:7.0.

Extinguishing Media:CO\*2 OR FOAM

Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE KNOWN TO MANUFACTURER

## Accidental Release

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT & CONTAIN FOR SALVAGE OR DISPOSAL.

## Handling

Handling and Storage Precautions:PRODUCT IS FLAMMABLE.USE REASONABLE CARE.USE RUBBER GLOVES,SAFETY GLASSES & ORGANIC VAPOR RESPIRATORS.

Other Precautions:PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.

## Exposure Controls

Respiratory Protection:ORGANIC VAPOR TYPE

Ventilation:LOCAL EXHAUST IS RECOMMENDED

Protective Gloves:RUBBER OR PLAST

Eye Protection:SAFETY GOGGLES

Other Protective Equipment:AS REQUIRED BY MSER.

Supplemental Safety and Health

## Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:290 F

Vapor Pres:10.

Vapor Density:>1.0

Spec Gravity:0.90.

Evaporation Rate & Reference:Solubility in Water:Appearance and Odor:SOLVENT ODOR,LIQUID,SOME COLOR.

Percent Volatiles by Volume:>30.

## Stability

Stability Indicator/Materials to Avoid:YES

OXIDIZING MATERIAL

Hazardous Decomposition Products:SO\*2,CO\*2, & TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS

## Disposal

Waste Disposal Methods:DOW CORNING SUGGESTS THAT ALL LOCAL,STATE AND FEDERAL REGULATIONS CONCERNING HEALTH & POLLUTION BE REVIEWED TO DETERMINE APPRVED DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.