



997 VARNISH

MSDS Number

BBCGL

National Stock Number

5970-00D000096

Product Name

997 VARNISH

Manufacturer

DOW CORNING CORP

Product Identification

Product ID:997 VARNISH

MSDS Date:01/01/1985

FSC:5970

NIIN:00D000096

MSDS Number: BBCGL

Responsible Party

DOW CORNING CORP.

3901 SOUTH SAGINAW ROAD

MIDLAND , MI 48640

US

Emergency Phone: 517-496-5900

Info Phone: 517-496-5900

Cage: 5D028

Contractor

DOW CORNING CORP

AUBURN, MI 48611

US

517-496-4388

Cage: 71984

Ingredients

XYLENES (O-,M-,P- ISOMERS) (SARA III)

CAS: 1330-20-7

RTECS: ZE2100000

Fraction By Weight: 50.0%

OSHA PEL100 PPM/150 STEL

ACGIH TLV: 100 PPM/150STEL;9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

2,6-CIS-DIPHENYLHEXAMETHYLCYCLOTETRASILOXANE.

Fraction By Weight:

ACGIH TLV: 20MG/CUM.



PHENYLHEPTAMETHYLCYCLOTETRASIOXANE

Fraction By Weight:

ACGIH TLV: 200 MG/CUM.

Hazards

Effects of Overexposure: IRRITATES SKIN & EYES. MAY CAUSE SLIGHT ANESTHESIA, HEADACHES.

First Aid

First Aid: FLUSH WITH WATER. INHAL: MOVE TO FRESH AIR. CALL DR.

Fire Fighting

Flash Point: 80F CC.

Lower Limits: 1.0.

Upper Limits: 7.0.

Extinguishing Media: CO₂ OR FOAM

Fire Fighting Procedures: SELF-CONTAINED BREATHING APPARATUS & PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NONE KNOWN TO MANUFACTURER

Accidental Release

Spill Release Procedures: USE ABSORBENT MATERIAL TO COLLECT & CONTAIN FOR SALVAGE OR DISPOSAL.

Handling

Handling and Storage Precautions: PRODUCT IS FLAMMABLE. USE REASONABLE CARE. USE RUBBER GLOVES, SAFETY GLASSES & ORGANIC VAPOR RESPIRATORS.

Other Precautions: PROTECT CONTAINERS AGAINST PHYSICAL DAMAGE.

Exposure Controls

Respiratory Protection: ORGANIC VAPOR TYPE

Ventilation: LOCAL EXHAUST IS RECOMMENDED

Protective Gloves: RUBBER OR PLAST

Eye Protection: SAFETY GOGGLES

Other Protective Equipment: AS REQUIRED BY MSER.

Supplemental Safety and Health

Chemical Properties

HCC: F4

Boiling Pt: B.P. Text: 290 F

Vapor Pres: 10.

Vapor Density: > 1.0

Spec Gravity: 0.90.

Evaporation Rate & Reference: Solubility in Water: Appearance and Odor: SOLVENT ODOR, LIQUID, SOME COLOR.

Percent Volatiles by Volume: > 30.

Stability

Stability Indicator/Materials to Avoid: YES

OXIDIZING MATERIAL

Hazardous Decomposition Products: SO₂, CO₂, & TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS

Disposal

Waste Disposal Methods: DOW CORNING SUGGESTS THAT ALL LOCAL, STATE AND FEDERAL REGULATIONS CONCERNING HEALTH & POLLUTION BE REVIEWED TO DETERMINE APPROPRIATE DISPOSAL PROCEDURES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their



particular situation.