

## **101 7433,CONDITIONER,PROCESS E-6**

### **MSDS Number**

BBCGT

### **National Stock Number**

6750-00D000099

### **Product Name**

101 7433,CONDITIONER,PROCESS E-6

### **Manufacturer**

EASTMAN KODAK COMPANY

### **Product Identification**

Product ID:101 7433,CONDITIONER,PROCESS E-6

MSDS Date:07/20/1982

FSC:6750

NIIN:00D000099

Kit Part:Y

MSDS Number: BBCGT

### **Responsible Party**

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

### **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

### **Ingredients**

1-THIOGLYCEROL(

CAS: 97-27-5

RTECS: TY8100000

Fraction By Weight:

POTASSIUM SULFITE (5-10%)

CAS: 10117-38-1

RTECS: WT3530000

Fraction By Weight: 07.5%

ETHYLENEDIAMINE-TETRAACETIC ACID (EDTA) (SARA III)

CAS: 60-00-4

RTECS: AH4025000

Fraction By Weight: 3.0%

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

WATER (88-90%)

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 88.5%

## Hazards

Effects of Overexposure:EYES:MAY CAUSE IRRIT;SKIN:MAY CAUSE IRRIT.REPEATED CONTACT MAY RESULT IN ALLERGIC SKIN REACTION.

## First Aid

First Aid:INH:REMOVE FROM EXPOSURE.GIVE CPR/OXY IF NEEDED & GET MED ATTN;EYES:FLUSH IMMED W/WATER FOR AT LEAST 15 MIN.GET MED HELP;SKIN:FLUSH IMMED W/PLENTY OF WATER FOR 15 MIN.FOR BURNS GET MED ATTN.

## Fire Fighting

Flash Point:NONE

Extinguishing Media:CO\*2,DRY CHEM

Fire Fighting Procedures:USE SELF-CNTND BRTHG APP;COOL EXPSD CONT W/WATER SPRAY

Unusual Fire/Explosion Hazard:NONE KNOWN

## Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS,PROVIDE VENTILATION/SAFETY EQUIPMENTS IF NECESSARY.DIKE LG SPILL & PUMP INTO COVERED CONTNRS;ABSORB SM SPILL W/ABSORBING MATL & PLACE IN SAME CONTNR;MFR SUGGESTS FLUSH DOW N TO SEWER W/LG AMT OF H\*2O IAW EXISTING REGS.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL DAMAGE.

Other Precautions:AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.ROUTING USE OF A NON-ALKALINE(ACID)TYPE HAND CLEANER WILL HELP MINIMIZE OF ALLERGIC SKIN REACTION;APPROX PRODUCT PH:6.0

## Exposure Controls

Respiratory Protection:NONE REQD IN NORMAL CONDITIONS.

Ventilation:MECHANICAL(GEN) IF NEEDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT

Supplemental Safety and Health

KEY1:C1; ITEM IS A 9 PARTS KIT;EFFECTIVE 12/27/82,AMNDMNT #20,KODAK REPLACED THE OLD CAT #156 6538 WHIH IS COVERED UNDER NSN 6750-01-169-1851;THIS CAT #101-7433 WAS ALSO CHANGED TO 106 3973-SEE SUPPL DATA OF 6750-01-169-1851;THIS ENTRY DESCRIBES:CONDITIONER,PROCESS E-6.

## Chemical Properties

HCC:C1

Boiling Pt:B.P. Text:>212F/>100C

Vapor Pres:17

Vapor Density:0.6

Spec Gravity:1.1

pH:6.0

Solubility in Water:COMPLETE

Appearance and Odor: CLEAR, STALE ODOR, LIQUID  
Percent Volatiles by Volume: 88.7

## Stability

Stability Indicator/Materials to Avoid: YES  
UNKNOWN PER MFR; HOWEVER AVOID FLAMM/OXIDIZING MATL.  
Hazardous Decomposition Products: NONE KNOWN

## Disposal

Waste Disposal Methods: KEEP IN COVERED CONTAINERS PENDING  
DISPOSAL. DISPOSE IN FULL COMPLIANCE W/ FEDERAL, STATE & LOCAL  
REGULATIONS; MFR RECOMMENDS TO FLUSH DOWN TO SEWER W/ COPIOUS AMT  
H<sub>2</sub>O. STATE & LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.