

101 7433,FIRST DEVELOPER,PROC E6(SEE SUPPL)

MSDS Number

BBCGV

National Stock Number

6750-00D000099

Product Name

101 7433,FIRST DEVELOPER,PROC E6(SEE SUPPL)

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:101 7433,FIRST DEVELOPER,PROC E6(SEE SUPPL)

MSDS Date:05/01/1980

FSC:6750

NIIN:00D000099

Kit Part:Y

MSDS Number: BBCGV

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

POTASSIUM CARBONATE (10-15%)

CAS: 584-08-7

RTECS: TS7750000

Fraction By Weight: 12.5%

POTASSIUM SULFITE (10-15%)

CAS: 10117-38-1

RTECS: WT3530000

Fraction By Weight: 12.5%

ALKANE GLYCOL (5-10%)

Fraction By Weight: 7.5%

POTASSIUM HYDROQUINONE

Fraction By Weight: 7.5%

WATER (30-35%)

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 32%

Hazards

Effects of Overexposure:EYES:LIQ CONTACT MAY CAUSE
IRRIT;SKIN:PROLONGD/REPEATD CONTCT CAUSES IRRITATION/SKIN ALLERGIC
ACTION

First Aid

First Aid:INH:REMOVE FROM EXPOSURE.GIVE CPR/OXY IF NEEDED & GET MED
ATTN;EYES:FLUSH IMMED W/WATER FOR AT LEAST 15 MIN.GET MED
HELP;SKIN:FLUSH IMMED W/PLENTY OF WATER FOR 15 MIN.FOR BURNS GET
MED ATTN.

Fire Fighting

Flash Point:NONE
Extinguishing Media:CO*2,DRY CHEM
Fire Fighting Procedures:USE SELF-CNTND BRTHG APP;COOL EXPSD CONT
W/WATER SPRAY
Unusual Fire/Explosion Hazard:NONE KNOWN

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSON.PROVIDE PROTECTV
CLOTHNG/EQUIP.MFR RECOMMENDS,SOAK UP W/ABSORBENT MATL &
INCINERATE.FLUSH TO SEWER W/COPIOUS AMOUNTS OF WATER.FEDERAL,STATE
& LOCAL EFFLUENT LAWS TAKE PRECE DENCE.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED
AREA.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL
DAMAGE.
Other Precautions:AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.REMOVE &
WASH CONTAMINATED CLOTHING.THE ROUTINE USE OF NON-ALKALINE(ACID)
HAND CLEANR MAY REDUCE ALLERGIC SKIN REACTION;APPROX PRODUCT
PH:9.86

Exposure Controls

Respiratory Protection:NONE REQD IN NORMAL CONDITIONS.
Ventilation:MECHANICAL(GEN) IF NEEDED
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES
Other Protective Equipment:AS NECESSARY TO PREVENT SKIN CONTACT
Supplemental Safety and Health
KEY1:C3; ITEM IS A 9 PARTS KIT;EFFECTIVE 12/27/82,AMNDMNT #20,KODAK
REPLACED THE OLD CAT #156-6538 WHICH IS COVERED UNDER NSN
6750-01-169-1851;THIS CAT #101-7433 WAS ALSO CHANGED TO 106
3973-SEE SUPPL DATA OF 6750-01-169-1851;THIS ENTRY DESCRIBES:FIRST
DEVELOPER,PROCESS E-6.

Chemical Properties

HCC:C1
Boiling Pt:B.P. Text:>212F/>100C
Vapor Pres:17
Vapor Density:0.6
Spec Gravity:1.32
pH:9.9

Solubility in Water: COMPLETE
Appearance and Odor: CLEAR, AMBER, ODORLESS LIQUID.
Percent Volatiles by Volume: 58%

Stability

Stability Indicator/Materials to Avoid: YES
Hazardous Decomposition Products: NONE KNOWN

Disposal

Waste Disposal Methods: KEEP WASTE MATERIAL IN COVERED CONTAINERS
PENDING DISPOSAL. MFR SUGGESTED SOAK UP W/ ABSORBENT MATL &
INCINERATE. FLUSH TO SEWER W/ COPIOUS AMOUNT OF WATER. FEDERAL, STATE &
LOCAL EFFLUENT LAWS TAKE PRECEDENCE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.