
101 7433,REVERAL BATH,PROC E-6(SEE SUPPL)

MSDS Number

BBCGX

National Stock Number

6750-00D000099

Product Name

101 7433,REVERAL BATH,PROC E-6(SEE SUPPL)

Manufacturer

EASTMAN KODAK COMPANY

Product Identification

Product ID:101 7433,REVERAL BATH,PROC E-6(SEE SUPPL)

MSDS Date:09/05/1980

FSC:6750

NIIN:00D000099

Kit Part:Y

MSDS Number: BBCGX

Responsible Party

EASTMAN KODAK COMPANY

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

Contractor

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

Ingredients

SODIUM PROPIONATE (15-20%)

CAS: 137-40-6

RTECS: UF7525000

Fraction By Weight: 17.5%

CHELATED TIN PHOSPHONATE

Fraction By Weight: 7.5%

OSHA PELS, 0.1 MG/M3 (SN)

ACGIH TLV: S,0.1 MG/M3(SN);8990

SODIUM PHOSPHATE (5-10%)

Fraction By Weight: 7.5%

PROPIONIC ACID (SARA III)

CAS: 79-09-4

RTECS: UE5950000

Fraction By Weight: 03.0%

OSHA PEL10 PPM

ACGIH TLV: 10 PPM; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

P-AMINOPHENOL (

CAS: 123-30-8

RTECS: SJ5075000

Fraction By Weight:

WATER

CAS: 7732-18-5

RTECS: ZC0110000

Hazards

Effects of Overexposure:SKIN:PROLONGED/REPEATED CONTACT MAY CAUSE IRRITATION & MAY RESULT IN ALLERGIC SKIN REACTION.

First Aid

First Aid:SKIN/EYES:FLUSH W/PLENTY OF WATER.GET MED ATTN FOR EYES;INH:REMOVE FROM EXPOSURE AREA.

Fire Fighting

Flash Point:NONE

Extinguishing Media:CO*2,DRY CHEM

Unusual Fire/Explosion Hazard:NONE KNOWN

Accidental Release

Spill Release Procedures:EVACUATE UNPROTECTED PERSONS.PROVIDE VENTILATION/SAFETY EQUIPMENTS IF NECESSARY.DIKE LG SPILL & PUMP INTO COVERED CONTNRS;ABSORB SM SPILL W/ABSORBING MATL & PLACE IN SAME CONTNR;MFR SUGGESTS FLUSH DOW N TO SEWER W/LG AMT OF H*2O IAW EXISTING REGS.

Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED AREA.KEEP CONTNRS TIGHTLY CLOSED.PROTECT CONTNRS FROM PHYSICAL DAMAGE.

Other Precautions:AVOID PROLONGED/REPEATED CONTACT W/PRODUCT.REMOVE & WASH CONTAMINATED CLOTHING.WASH HANDS AFTER USE.APPROX PH OF PRODUCT:6.0

Exposure Controls

Respiratory Protection:NONE REQD IN NORMAL CONDITIONS.

Ventilation:MECHANICAL(GEN) IF NEEDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY GLASSES

Other Protective Equipment:AS NEEDED BY LOCAL AUTHORITIES.

Supplemental Safety and Health

KEY1:C3; ITEM IS A 9 PARTS KIT;EFFECTIVE 12/27/82,AMNDMNT #20,KODAK REPLACED THE OLD CAT #156 6538 WHICH IS COVERED UNDER NSN 6750-01-169-1851;THIS CAT #101-7433 WAS ALSO CHANGED TO 106 3973-SEE SUPPL DATA OF 6750011691851;THIS ENTRY DESCRIBES:REVERSAL

BATH,PROCESS E-6.

Chemical Properties

HCC:C3
Boiling Pt:B.P. Text:>212F/>100C
Vapor Pres:18
Vapor Density:0.8
Spec Gravity:1.20
pH:6.0
Solubility in Water:COMPLETE
Appearance and Odor:CLEAR,SLIGHTLY SWEET ODOR.
Percent Volatiles by Volume:66%

Stability

Stability Indicator/Materials to Avoid:YES
NONE KNOWN

Disposal

Waste Disposal Methods:KEEP IN COVERED CONTAINERS PENDING DISPOSAL.DISPOSE IN FULL COMPLIANCE W/FEDERAL,STATE & LOCAL REGULATIONS;MFR RECOMMENDS TO FLUSH DOWN TO SEWER W COPIOUS AMT H*2O.STATE & LOCAL EFFLUENT LAWS TAKE PRE CEDENCE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.