

## **16-354,HEAVY DUTY RED TOOLMAKER'S INK**

### **MSDS Number**

BBCPG

### **National Stock Number**

6850-00D000377

### **Product Name**

16-354,HEAVY DUTY RED TOOLMAKER'S INK

### **Manufacturer**

SEYMOUR OF SYCAMORE INC

### **Product Identification**

Product ID:16-354,HEAVY DUTY RED TOOLMAKER'S INK  
MSDS Date:01/01/1985  
FSC:6850  
NIIN:00D000377  
MSDS Number: BBCPG

### **Responsible Party**

SEYMOUR OF SYCAMORE,INC  
917 CROSBY AVE  
SYCAMORE , IL 60178-1343  
US  
Cage: 59581

### **Contractor**

SEYMOUR OF SYCAMORE  
SYCAMORE, IL 60178-1343  
US  
815-895-9101/800-255-3924  
Cage: 59581

### **Ingredients**

METHYL ISOBUTYL KETONE (SARA III)  
CAS: 108-10-1  
RTECS: SA9275000  
Fraction By Weight: 1.38%  
OSHA PEL100 PPM/75 STEL  
ACGIH TLV: 50 PPM/75 STEL; 9293  
EPA Report Quantity: 5000 LBS  
DOT Report Quantity: 5000 LBS

ACETONE (SARA III)

CAS: 67-64-1

RTECS: AL3150000

Fraction By Weight: 41.4%

OSHA PEL1000PPM

ACGIH TLV: 750PPM/1000STEL;9293

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 11.0%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIAN; 9192

ISOBUTANE,CAS# 72-28-5(SEE P/N IND C FOR OTHER INGREDIENTS)

CAS: 75-28-5

RTECS: TZ4300000

Fraction By Weight: 11.0%

## Hazards

Effects of Overexposure:INHALE-IRRITATS RESPIR TRACT,ACUTE CNS DEPRESS  
W HEADACH,DIZZ,CONFUS,UNCONS,COMA.IRRITATS EYES/SKIN

## First Aid

First Aid:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. SKIN:WASH WITH  
SOAP & WATER. EYES:FLUSH WITH WATER 15 MIN. KEEP WARM AND QUIET  
REMOVE CONTAMINATED CLOTHING.

## Fire Fighting

Flash Point:N/A-SEE SUP DATA

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SCBA,COOL EXPD CONTRS W H\*20. H\*20 INEFF  
ON FIRE.

Unusual Fire/Explosion Hazard:EXTREMELY FLAMMABLE CONTAINER MAY  
EXPLODE.VAPOR IS EXPLOS HAZARD.VAPOR MAY SPREAD AWAY FROM SPILL.

## Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES,VENTILATE AREA  
WELL.ABSORB WITH VERMICULITE OR OTHER MATERIALS, SUCH AS  
SAWDUST,RAGS,PAPER & PLACE IN CLOSED CONTAINER. USE NON SPARKING  
TOOLS. WEAR PROPER PROTECTIVE EQUIPMENT DURING CLEAN UP.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENT,LOW FIRE  
RISK AREA. PROTECT CONTRS FROM PHYS DAMAGE.KEEP OUT OF DIR RAYS OF  
SUN AWAY FR ORG PROD & OTHER EASILY OXID MATL

Other Precautions:DO NOT STORE ABOVE 120F.

## Exposure Controls

Respiratory Protection:AVOID CONTINUOUS BRTHNG OF VAPORS,WEAR SCBA IN  
FIRE;APPRVD RESPIR.

Ventilation:MECH(GEN)OR LOCAL EXHAUST THAT PROVIDES ADEQUATE  
VENTILATION

Protective Gloves:IMPERVIOUS

Eye Protection:GOGGLES/FACE SHIELD

Other Protective Equipment:FULL WORK CLOTHING TO PREVENT REPEATED OR  
PROLONGED CONTACT.

Supplemental Safety and Health

FP OF LIQUID IN AEROSOL CAN -10F/-23C.TWO FORMULATIONS ARE FOUND FOR  
THIS NSN WITH 4 PARTS.A & B FOR PRODUCT 16-358;C & D FOR PRODUCT  
16-354.KEY1:F1.

## Chemical Properties

HCC:V3  
Vapor Pres:UNK  
Vapor Density:>1  
Spec Gravity:UNK  
Evaporation Rate & Reference:>1(ETHER=1)  
Appearance and Odor:AEROSOL PAINT(40 PSI AT 70F.  
Percent Volatiles by Volume:85

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:HEAT, IGNITION SOURCES  
Hazardous Decomposition Products:TOXIC FUMES,FLAMMABLE GASES,  
IRRITATING GASES

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS. DO NOT INCINERATE  
AEROSOL.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.