



401-0046,REPROTYPE DEVELOPR/REPLNSHR,PARTA

MSDS Number

BBDBL

National Stock Number

6750-00D000638

Product Name

401-0046,REPROTYPE DEVELOPR/REPLNSHR,PARTA

Manufacturer

ANITEC IMAGE CORP

Product Identification

Product ID:401-0046,REPROTYPE DEVELOPR/REPLNSHR,PARTA

MSDS Date:01/01/1985

FSC:6750

NIIN:00D000638

MSDS Number: BBDBL

Responsible Party

ANITEC IMAGE CORPORATION

40 CHARLES ST

BINGHAMTON , NY 13902

US

Cage: 61263

Contractor

ANITEC IMAGE CORP

4444

BINGHAMTON, NY 13902

US

607-774-3333

Cage: 61263

Ingredients

POTASSIUM METABISULFITE;POTASSIUM PYROSULFITE;CAS

CAS: 16731-55-8

RTECS: TT4920000

Fraction By Weight: 6.3%

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3

RTECS: TT2100000

Fraction By Weight: 8.0%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192

EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS



HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 5.9%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

EPA Report Quantity: 1 LB

DOT Report Quantity: 1 LB

WATER;CAS #7732-18-5 (%WT BY DIFFERENCE)

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight: 79.8%

Hazards

Effects of Overexposure:MAY CAUSE SKIN/EYE IRRITATION;MAY BE HARMFUL IF SWALLOWED

First Aid

First Aid:EYES:FLUSH WITH PLENTY FO WATER AT LEAST FOR 15 MIN & GET MED ATTN;SKIN:FLUSH/WASH W/PLENTY OF H*20.IF IRRITATION OCCURS,GET MED HELP;INGESTION:IF INGESTED,INDUCE VOMITING,& CALL A PHYSICIAN.

Fire Fighting

Flash Point:NONE

Extinguishing Media:CO*2, FOAM, DRY CHEM.

Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.

Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK. EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

Handling

Handling and Storage Precautions:STORE IN COOL DRY WELL VENTILATED AREA;KEEP CONTAINER TIGHTLY CLOSED;WASH THOROUGHLY AFTER HANDLING.

Exposure Controls

Respiratory Protection:NO SPECIAL REQMENTS UNDER ORDINARY CONDITIONS/ADEQUATE VENT.

Ventilation:MECHANICAL(GENERAL) RECOMMENDED,LOCAL EXHAUST IF NEEDED

Protective Gloves:IMPERVIOUS

Eye Protection:SAFETY/CHEM GOGGLES

Other Protective Equipment:WEAR IMPERVIOUS APRON/CLOTHING TO PREVENT CONTACT.

Supplemental Safety and Health

PART A OF 2 PART PRODUCT;OLD CAT #5201-602;SEE P/N IND A FOR PART B DATA UNDER NSN 6750-00-D00-0639;UNIT CONTAINER QTY PART A IS 50 GAL;BOTH PARTS REQD TO MAKE WORKING SOLN.KEY1:C2.

Chemical Properties

HCC:C2

Boiling Pt:B.P. Text:220F

Spec Gravity:1.274

Solubility in Water:COMPLETE

Appearance and Odor:CONCENTRATE BROWNISH COLOR LIQUID



Stability

Stability Indicator/Materials to Avoid: YES
PER MFR, NO SPECIFICALLY INCOMPATIBLE; HOWEVER, AVOID OXIDIZING/FLAMMABLE
Stability Condition to Avoid: NONE KNOWN

Disposal

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.