# 5202-004, REPRLITH LITHGRPHC DEV/REPL, PART A

## **MSDS Number**

**BBDBR** 

## **National Stock Number**

6750-00D000645

### **Product Name**

5202-004, REPRLITH LITHGRPHC DEV/REPL, PART A

#### Manufacturer

ANITEC IMAGE CORP

# **Product Identification**

Product ID:5202-004,REPRLITH LITHGRPHC DEV/REPL,PART A MSDS Date:01/01/1985

FSC:6750 NIIN:00D000645 MSDS Number: BBDBR

# **Responsible Party**

ANITEC IMAGE CORPORATION

Emergency Phone: (607) 774-3300

Cage: 61263

Contractor

ANITEC IMAGE CORP

4444

BINGHAMTON, NY 13902

US

607-774-3333 Cage: 61263

# Ingredients

FORMALDEHYDE (SARA III)

CAS: 50-00-0

RTECS: LP8925000

Fraction By Weight: 0.67% OSHA PELSEE 1910.1048

ACGIH TLV: C 0.3 PPM; A2; 9293 EPA Report Quantity: 100 LBS DOT Report Quantity: 100 LBS

POTASSIUM HYDROXIDE (SARA III)

CAS: 1310-58-3 RTECS: TT2100000

Fraction By Weight: 0.20%

OSHA PELC, 2 MG/M3

ACGIH TLV: C 2 MG/M3; 9192 EPA Report Quantity: 1000 LBS



DOT Report Quantity: 1000 LBS

HYDROQUINONE (SARA III)

CAS: 123-31-9

RTECS: MX3500000

Fraction By Weight: 11.4%

OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192 EPA Report Quantity: 1 LB DOT Report Quantity: 1 LB

WATER; CAS #7732-18-5; % WT BY DIFFERENCE.

Fraction By Weight: 87.7%

### **Hazards**

Effects of Overexposure: MAY CAUSE EYE/SKIN IRRITATION ON CONTACT; MAY BE HARMFUL IFSWALLOWED.

#### First Aid

First Aid:EYES:FLUSH WITH PLENTY OF WATER AT LEAST FOR 15 MIN & GET MED ATTN;SKIN:FLUSH/WASH W/PLENTY OF H\*20.IF IRRITATION OCCURS,GET MED HELP;INGESTION:INDUCE VOMITING & CALL A PHYSICIAN.

## Fire Fighting

Flash Point: NONE

Extinguishing Media:CO\*2, FOAM, DRY CHEM.

Fire Fighting Procedures: WEAR SELF-CNTD BRTHG, APP H\*20 SPRAY TO COOL

CONTR.

Unusual Fire/Explosion Hazard: NONE

## **Accidental Release**

Spill Release Procedures: EVACUATE UNPROTECTED PERSONS. STOP LEAK. H\*20 SPRAY TO COOL CONT/DIVERT SPILL FROM FIRE/HEAT. PROVIDE VENTILATION. ABSORB W COMMERCIAL ABSORBENT, SHOVEL INTO METAL DRUMS. LG SPILL: DIKE W COMMERCIAL ABS ORBENT, PUMP INTO COVERED DRUMS.

# Handling

Handling and Storage Precautions: STORE IN COOL DRY WELL VENTILATED AREA; KEEP CONTAINER TIGHTLY CLOSED; WASH THOROUGHLY AFTER HANDLING. Other Precautions: AVOID SKIN CONTACT.

# **Exposure Controls**

Respiratory Protection: NO SPECIAL REQMNTS UNDER ORDINARY

CONDITIONS/ADEQUATE VENT.

Ventilation: MECHANICAL (GENERAL) RECOMMENDED, LOCAL EXHAUST IF NEEDED

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY/CHEM GOGGLES

Other Protective Equipment: WEAR IMPERVIOUS APRON/CLOTHING TO PREVENT

CONTACT.

Supplemental Safety and Health

PART A OF 2 PART PROD; GAF CORP TRANSFERRED ITEM TO ANITEC INC; ANITEC CHNGD ABOVE CAT # TO 5202-610 THEN 400-0101 AND PHASED OUT FM THEIR SYSTM; PER ANITEC, THEY NEVER MFD ITEM; NOW SEE ADDL DATA.

# **Chemical Properties**

HCC:N1

Boiling Pt:B.P. Text:210F Spec Gravity:1.256



Solubility in Water: COMPLETE

Appearance and Odor: CONCENTRATED LIQUID

# **Stability**

Stability Indicator/Materials to Avoid:YES PER MFR,NO SPECIFIC INCOMPATIBILITY. Stability Condition to Avoid:NONE KNOWN

## **Disposal**

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.