CAUSTIC SODA-FLAKE OR SOLID

MSDS Number

BBDHK

National Stock Number

6810-00D000770

Product Name

CAUSTIC SODA-FLAKE OR SOLID

Manufacturer

BASF WYANDOTTE CORP

Product Identification

Product ID:CAUSTIC SODA-FLAKE OR SOLID MSDS Date:01/01/1987 FSC:6810 NIIN:00D000770 MSDS Number: BBDHK

Responsible Party

BASF-WYANDOTTE CORP

CHEMICAL SPECIALTIES DIV;1609-BIDDLE AVE

WYANDOTTE, MI 48192-3729

US

Emergency Phone: 313-282-3300

Info Phone: 313-282-3300

Cage: E0036

Contractor

BASF-WYANDOTTE CORP

WYANDOTTE, MI 48192-3729

US

313-282-3300 Cage: EO036

Ingredients

SODIUM HYDROXIDE (SARA III)

CAS: 1310-73-2 RTECS: WB4900000

Fraction By Weight: 96.5%

OSHA PEL2 MG/M3

ACGIH TLV: C 2 MG/M3; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

UNIDENTIFIED COMPONENTS Fraction By Weight: BALANCE

Hazards

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES



Health Hazards Acute and Chronic:ACUTE:SEVERE BURNS TO EYES,SKIN AND RESPIRATORY TRACT;MAY BE FATAL IF SWALLOWED.CHRONI:DAMAGE TO ALL BODY TISSUES.

Effects of Overexposure:EYE,SKN:IRRT,SEV BURNS.INHL:SEV BURNS,EDEMA,PNEUMON.INGEST:SEV BURNS,DYSPHAG,PAIN,EDEMA,VOMIT,SHOCK Medical Cond Aggravated by Exposure:PRE-EXISTING CONDITIONS MAY BE WORSEN.

First Aid

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

Fire Fighting

Flash Point: NONE

Extinguishing Media: USE SUITABLE MEDIA FOR SURROUNDING FIRES Fire Fighting Procedures: USE NIOSH/MSHA APPROVED SCBA IN AN ENCLOSED AREA.

Unusual Fire/Explosion Hazard: NONE NOTED: USE REASONABLE CARE.

Accidental Release

Spill Release Procedures: SHOVEL OR SWEEP SPILLAGE INTO CLOSABLE CONTAINERS. WEAR DUST MASK & FULL BODY PROTECT. AVOID ALL EYE, SKN CONTACT. DO NOT INHALE OR INGEST. WASH DOWN TRACE RESIDUALS W/DILUTE HCL TO SEWER. (TO REMOVE S LIPPERY AREAS) USE OIL VINEGAR AS ALT TO HCL.

Handling

Handling and Storage Precautions: AVOID EYE, SKN CONTACT. STORE IN COOL, DRY AREA. AVOID MOISTURE, HUMIDITY, WATER, AIR.

Exposure Controls

Respiratory Protection: USE DUST/PARTICULATE MAST AS REQD.

Ventilation:LOCAL

Protective Gloves: RUBBER

Eye Protection: GOGGLES, FACE SHIELD.

Other Protective Equipment: EYE WASH, SAFETY SHOWER, FULL SKIN AND EYE

PROTECTION.

Supplemental Safety and Health

CORROSIVE MATERÍAL: USE REASONABLE CARE. AVOID CONTACT WITH EYES AND SKIN.DO NOT BREATHE DUST/MIST.

Chemical Properties

HCC:C2

Spec Gravity:2.13

Solubility in Water: COMPLETE

Appearance and Odor: WHITE FLAKES OR BEADS.

Stability

Stability Indicator/Materials to Avoid:YES MOISTURE, ACIDS, HUMIDITY, WATER, AIR. Stability Condition to Avoid:NONE

Disposal

Waste Disposal Methods: RECLAIM OR LANDFILL AFTER NEUTRALIZATION (HCL) IAW ALL LAWS & REGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.

•

