

TF SOLVENT

MSDS Number

BBDJJ

National Stock Number

6810-00D000791

Product Name

TF SOLVENT

Manufacturer

CHEMTRONICS INC

Product Identification

Product ID:TF SOLVENT

MSDS Date:06/01/1987

FSC:6810

NIIN:00D000791

MSDS Number: BBDJJ

Responsible Party

CHEMTRONICS INC

681 OLD WILLETS PATH

HAUPPAUGE , NY 11788

US

Emergency Phone: 516-582-3322

Info Phone: 516-582-3322

Preparer: S.H.STEIN

Cage: 2M589

Contractor

CHEMTRONICS INC (CANCELLED USE 21267)

HAUPPAUGE, NY 11760

US

770-424-4888/800-645-5244

Cage: 2M589

Ingredients

1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA

CAS: 76-13-1

RTECS: KJ4000000

Fraction By Weight: 97%

OSHA PEL1000PPM/1250STEL

ACGIH TLV: 1000PPM/1250STEL9192

CARBON DIOXIDE

CAS: 124-38-9

RTECS: FF6400000

Fraction By Weight: 3 - 5%

OSHA PEL5000 PPM

ACGIH TLV: 5000PPM/30000STEL;93

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYES:IRRITATION.
SKIN:IRRITATION. INHALATION:SUFFOCATION. INGESTION:ORAL TOXICITY IS
LOW. CHRONIC-EYES:IRRITATION. SKIN:IRRITATION AND DEFATTING.
INHALATION:CENTRAL NERVOUS SYSTEM DEPRESSION, CARDIAC
IRREGULARITIES, UNCONSCIOUSNESS, OR DEATH. INGESTION:ORAL TOXICITY
IS LOW.
Explanation of Carcinogenicity:TF SOLVENT IS NOT LISTED AS A CARCINOGEN
BY IAEC, NTP, OR OSHA.
Effects of Overexposure:EYES:DISCOMFORT. SKIN:IRRITATION FROM
DEFATTING. INHALATION:LIGHT-HEADEDNESS, GIDDINESS, SHORTNESS OF
BREATH, NARCOSIS, CARDIAC IRREGULARITIES, UNCONSCIOUSNESS.
INGESTION:NONE GIVEN BY MANUFACTURER.
Medical Cond Aggravated by Exposure:CARDIOVASCULAR DISEASE

First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O*2 IF
NEED;EYES/SKIN:FLUSH W LG AMTS H*20 FOR 15 MIN;INGEST:RINSE MOUTH;
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER
SYMPTOMS OF OVEREXPOSURE. DO NOT GIVE EPINEPHRINE OR SIMILAR
DRUGS.

Fire Fighting

Flash Point:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY
CHEMICAL.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA &
FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER
SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE
PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

Accidental Release

Spill Release Procedures:VENTILATE AREA-ESPECIALLY LOW PLACES WHERE
HEAVY VAPORS MIGHT COLLECT.REMOVE OPEN FLAMES.USE PROTECTIVE
EQUIPMENT SUCH AS GLOVES,SAFETY GLASSES,ETC.COLLECT LIQUID &
CONTAIN IN CLOSED CONTAINERS;DIKE L G AMT OF LIQ THEN PUMP TO
CLOSED DRUMS.

Handling

Handling and Storage Precautions:STORE CONTAINERS IN CLEAN, DRY AREA;DO
NOT HEAT/STORE ABOVE 125F.
Other Precautions:MFR STATES THAT FOR FURTHER INFORMATION
SEE(DUPONT)FREON PRODUCTS BULLETINS FST-1,S-16,S-24,S-30;PHYSICAL
DATA SUCH AS VAP PRESSURE/DENSITY,SPECIFIC GRAVITY,SOLUBLT Y NOTED
AT 77F.

Exposure Controls

Respiratory Protection:USE SELF-CONTND AIR MASK IN HIGH CONCENTRATION
Ventilation:LOCAL EX:WHEN LG AMTS ARE RELEASED ESPECIALLY IN LOW
PLACES.
Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY/CHEM GOGGLES
Other Protective Equipment:NONE NOTED BY MFR.
Supplemental Safety and Health
EXCESSV VAPORIZATION CAN DEplete/REPLACE O*2 NEEDED FOR
BREATHG.HAZARDOUS TO HEALTH IN CONFND/ENCLOS D SPACES,AREAS W LITTL
VENTILATION.EXPOSURE TO HIGH CONC MAY INDUCE CARDIAC ARRHYTHMIAS.

Chemical Properties

HCC:G3
Boiling Pt:B.P. Text:118F,48C
Vapor Pres:334
Vapor Density:6.5
Spec Gravity:1.57
pH:7.0
Evaporation Rate & Reference:1(ETHER=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:COLORLESS LIQUID-SLIGHT ETHEREAL ODOR.
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
ALKALI OR ALKALINE EARTH METALS-POWDERED AL,ZN,BE,ETC.
Stability Condition to Avoid:HIGH TEMPERATURES,IGNITION SOURCES
Hazardous Decomposition Products:HYDROCHLORIC & HYDROFLUORIC
ACIDS-POSSIBLE CARBONYL HALIDES.

Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS;MFR
RECOMMENDS,RECLAIM BY DISTILLATION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.