

## **31-60059-206 POS ONE RINSE ADDATIVE**

### **MSDS Number**

BBDKV

### **National Stock Number**

6750-00D000843

### **Product Name**

31-60059-206 POS ONE RINSE ADDATIVE

### **Manufacturer**

VISUAL GRAPHICS CORP

### **Product Identification**

Product ID:31-60059-206 POS ONE RINSE ADDATIVE

MSDS Date:09/01/1985

FSC:6750

NIIN:00D000843

MSDS Number: BBDKV

### **Responsible Party**

VISUAL GRAPHICS CORPORATION.

5701 N.W. 94TH AVENUE

TAMARAC , FL 33321

Emergency Phone: 305-722-3000 EX 2299

Info Phone: 305-722-3000

Cage: 26030

### **Contractor**

VISUAL GRAPHICS CORP.

TAMARAC, FL 33321-4317

US

305-722-3000 EXT. 2299

Cage: 26030

### **Ingredients**

SODIUM BISULFITE (SASA III)

CAS: 7631-90-5

RTECS: VZ2000000

Fraction By Weight:

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3; 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

SODIUM CARBONATE; CAS #5968-11-6

CAS: 497-19-8

RTECS: VZ4050000

Fraction By Weight:

WATER; CAS #7732-18-5

CAS: 7732-18-5

RTECS: ZC0110000

Fraction By Weight:

## Hazards

Effects of Overexposure:SKIN/EYES:CAUSES IRRIT,REDNESS,&  
TEARING;INHAL/INGEST:NOT LISTED ON MSDS.

## First Aid

First Aid:INHALE:REMOVE TO FRESH AIR, GIVE CPR/O\*2 IF  
NEED;EYES/SKIN:FLUSH W LG AMTS H\*2O FOR 15 MIN;INGEST:RINSE MOUTH;  
GET MEDICAL ATTENTION FOR EYES, BREATHING DIFFICULTY, OR OTHER  
SYMPTOMS OF OVEREXPOSURE.

## Fire Fighting

Flash Point:NONE  
Extinguishing Media:EXTINGUISH WITH AGENT SUITABLE FOR SURROUNDING FIRE  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:MAY IGNITE BY HEAT,SPARK,FLAME,AIR  
EXPOSURE;MAY REIGNITE,CONTACT W H\*20 PRODUCES FLAMM GAS.

## Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.  
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT  
ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG  
SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP  
CONTAINERS TIGHTLY CLOSED  
Other Precautions:NOT KNOWN

## Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:MECHANICAL (GENERAL/LOCAL EXHAUST)  
Protective Gloves:IMPERVIOUS  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.  
Supplemental Safety and Health  
MSDS RECEIVED FROM VISUAL GRAPHIC CO DATED:9/1985,REVISION A.

## Chemical Properties

HCC:N1  
Boiling Pt:B.P. Text:212F/100C  
Spec Gravity:1.1  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR-ODORLESS SOLUTION

## Stability

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:EXCESSIVE HEAT  
Hazardous Decomposition Products:NOT KNOWN

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.