

## **GULF TS-864-68 HYDRAULIC OIL**

### **MSDS Number**

BBDMZ

### **National Stock Number**

9150-00D000910

### **Product Name**

GULF TS-864-68 HYDRAULIC OIL

### **Manufacturer**

CHEVRON U S A INC

### **Product Identification**

Product ID: GULF TS-864-68 HYDRAULIC OIL

MSDS Date: 01/01/1987

FSC: 9150

NIIN: 00D000910

MSDS Number: BBDMZ

### **Responsible Party**

CHEVRON U.S.A. INC.

Emergency Phone: (415) 233-3737

Cage: 0GWP5

### **Contractor**

CHEVRON USA INC

BALTIMORE, MD 21204

US

301-821-4000

Cage: 0GWP5

### **Ingredients**

HIGHLY REFINED BASE OILS; CAS #64742-65-0

CAS: 64742-65-0

RTECS: PY8038500

Fraction By Weight: >99%

ACGIH TLV: 5MG/CUM (MIST)

ADDITIVES INCLUDING POUR DEPRESSANT, DEFOAMER, ANTIRUST

Fraction By Weight:

### **Hazards**

Effects of Overexposure: EYES: CAUSES MINOR IRRITATION; SKIN: SLIGHT IRRITATION ON PROLONGED CONTACT; INHAL: MAY IRRITATE RESPIRATORY TRACT BY MIST

### **First Aid**

First Aid: SKIN: WASH WITH SOAP & H<sub>2</sub>O. EYES: FLUSH WITH H<sub>2</sub>O. INGESTED: GIVE 2 GLASSES H<sub>2</sub>O; INDUCE VOMITING. CALL A PHYSICIAN. INHALE: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEEDED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONSCIOUS DO NOT TAKE ANYTHING BY MOUTH.

### **Fire Fighting**

Flash Point: 525F/274C (COC)

Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL  
CONTR.  
Unusual Fire/Explosion Hazard:DO NOT WELD,HEAT OR DRILL  
CONTAINER.RESIDUE MAY IGNITE WITH EXPLOSIVE VIOLENCE IF HEATED  
SUFFICIENTL

## Accidental Release

Spill Release Procedures:ELIMINATE IGNITION SOURCES. STOP LEAK.  
EVACUATE AREA.DO NOT TOUCH SPILLAGE. SM SPILL:ABSORB W. INERT  
ABSORBENT. PLACE IN CLOSED CONTAINER. FLUSH AREA W. WATER. LG  
SPILL: DIKE AHEAD FOR LATER DISPOSAL. NOTIFY AUTHORITIES.

## Handling

Handling and Storage Precautions:STORE IN COOL,DRY,WELL VENTILATED  
AREA. PROTECT FROM PHYSICAL DAMAGE.AVOID ANY PHYSICAL CONTACT. KEEP  
CONTAINERS TIGHTLY CLOSED  
Other Precautions:DO NOT USE PRESSURE TO EMPTY DRUM OR EXPLOSION MAY  
RESULT.

## Exposure Controls

Respiratory Protection:NONE SHOULD BE NEEDED  
Ventilation:NO SPECIAL REQUIREMENTS W ADEQUATE VENT.  
Protective Gloves:AS REQUIRED  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NORMAL WORK CLOTHING COVERING ARMS & LEGS.  
Supplemental Safety and Health  
MSDS FROM CHEVRON USA EFFECTIVE:12/05/85

## Chemical Properties

HCC:V6  
Spec Gravity:0.88  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:CLEAR, COLORLESS OIL

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:HEAT & OPEN FLAMES  
Hazardous Decomposition Products:INCOMPLETELY BURNED CARBON PRODUCTS,  
CO\*2, CO.

## Disposal

Waste Disposal Methods:KEEP IN COVERED DRUMS,PENDING DISPOSAL. HANDLE &  
DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE  
INTERNATIONAL,FEDERAL,STATE, & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.