



---

## **CARBIDE GRADES NI-14 AND UC-6**

### **MSDS Number**

BBDNY

### **National Stock Number**

9350-00D000937

### **Product Name**

CARBIDE GRADES NI-14 AND UC-6

### **Manufacturer**

TRW INC TRW CARBIDE TOOLS

### **Product Identification**

Product ID: CARBIDE GRADES NI-14 AND UC-6

MSDS Date: 11/25/1985

FSC: 9350

NIIN: 00D000937

MSDS Number: BBDNY

### **Responsible Party**

TRW INC TRW CARBIDE TOOLS

205 N 13TH ST

ROGERS, AR 72756-3551

US

Emergency Phone: 501-636-1515

Info Phone: 501-636-1515

Preparer: VERN FREDRICKSON

Cage: EO067

### **Contractor**

TRW INC TRW CARBIDE TOOLS

ROGERS, AR 72756-3551

US

501-636-1515

Cage: EO067

### **Ingredients**

TUNGSTEN CARBIDE

CAS: 12070-12-1

RTECS: YO7250000

Fraction By Weight: 87-94%

OSHA PEL5 MG/M3

ACGIH TLV: 5 MG/M3

NICKEL (SARA III)

CAS: 7440-02-0

RTECS: QR5950000

Fraction By Weight: 5-12%

OSHA PEL1 MG/M3



ACGIH TLV: 1 MG/M3; 9394

## Hazards

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE RESPIRATORY IRRITATION. CONTACT MAY CAUSE SKIN AND EYE IRRITATION. NO ADVERSE EFFECTS FOUND FOR INGESTION. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN SENSITIZATION AND MAY CAUSE NASAL OR LUNG CANCER (NICKEL).  
Explanation of Carcinogenicity:NICKEL IS LISTED BY NTP AND IARC AS A SUSPECTED AND/OR ANTICIPATED CARCINOGEN.  
Effects of Overexposure:INHALED: COUGHING, SNEEZING, WHEEZING, SHORTNESS OF BREATH; CANCER- PAIN, BLEEDING, NASAL OBSTRUCTION, VISION IMPAIRMENT, WEIGHT LOSS. EYES: REDNESS, TEARING, DISCOMFORT. SKIN: REDNESS, ITCHING, DISCOMFORT. INGESTION: NONE GIVEN.  
Medical Cond Aggravated by Exposure:PULMONARY, SKIN CONDITIONS.

## First Aid

First Aid:INHALED: REMOVE TO FRESH AIR AND SEEK MEDICAL ATTENTION. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES, HOLD LIDS OPEN. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. SEE DOCTOR IF IRRITATION PERSISTS. INGESTED: IF CONSCIOUS, DILUTE WITH LARGE AMOUNT OF WATER. INDUCE VOMITING AND SEEK MEDICAL ATTENTION.

## Fire Fighting

Flash Point:NONE  
Extinguishing Media:DRY SAND, DRY DOLOMITE, ABC TYPE FIRE EXTINGUISHER OR FLOOD WITH WATER.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.  
Unusual Fire/Explosion Hazard:DUST MAY PRESENT A FIRE OR EXPLOSION HAZARD IF FAVORING CONDITIONS OF PARTICLE SIZE, DISPERSION, AND STRONG IGNITION SOURCE ARE MET.

## Accidental Release

Spill Release Procedures:VENTILATE AREA OF SPILL. CLEAN UP USING METHOD WHICH WILL REDUCE AMOUNT OF DUST TO MINIMUM. IF DUST IS GENERATED, USE APPROPRIATE RESPIRATOR.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

## Handling

Handling and Storage Precautions:MAINTAIN GOOD HOUSEKEEPING METHODS TO PREVENT DUST BUILD-UP. AVOID INHALATION AND DIRECT SKIN CONTACT WITH DUST.  
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

## Exposure Controls

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR EMERGENCY OCCURS; USE NIOSH/MSHA APPROVED RESPIRATOR FOR DUST OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134.  
Ventilation:USE LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW PEL/TLV.  
Protective Gloves:WORK GLOVES OR BARRIER CREAM  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.  
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.  
Supplemental Safety and Health  
MSDS DATED 11-25-85.

## Chemical Properties

HCC:N1  
Spec Gravity:>14.2 (WATER=1)  
Solubility in Water:NEGLIGIBLE  
Appearance and Odor:DARK GREY METAL; NO ODOR  
Percent Volatiles by Volume:0



## Stability

Stability Indicator/Materials to Avoid: YES  
STRONG OXIDIZING AGENTS, STRONG MINERAL ACIDS.  
Stability Condition to Avoid: CONTACT WITH STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: NONE

## Disposal

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.