

## **ISO-PROPYLAMINE**

### **MSDS Number**

BBDPJ

### **National Stock Number**

6750-00D000946

### **Product Name**

ISO-PROPYLAMINE

### **Manufacturer**

EASTMAN KODAK CO

### **Product Identification**

Product ID:ISO-PROPYLAMINE

MSDS Date:01/01/1987

FSC:6750

NIIN:00D000946

MSDS Number: BBDPJ

### **Responsible Party**

EASTMAN KODAK CO.

343 STATE STREET

ROCHESTER , NY 14650

US

Emergency Phone: 716-722-5151

Info Phone: 716-722-5151

Cage: 19139

### **Contractor**

EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

ROCHESTER, NY 14650-1115

US

716-722-5151/(800) 242-2424

Cage: 19139

### **Ingredients**

ISOPROPYLAMINE

CAS: 75-31-0

RTECS: NT8400000

Fraction By Weight: 100%

OSHA PEL5 PPM/10 STEL

ACGIH TLV: 5 PPM/10 STEL; 9192

### **Hazards**

Effects of Overexposure:INHAL:COUGH,IRRIT,CHEST PAIN EYES;BURNS  
SKIN:PROLONGED CONTACT,BURNS AND ABSORP OF POSS TOXIC AMT

### **First Aid**

First Aid:INHAL:RMV TO FRESH AIR. IF NOT BRTHNG GIVE CPR; IF BRTHNG  
DIFF GIVE OXYGEN. EYE:IMMED FLUSH W/PLENTY OF WATER. SKIN:WASH  
W/SOAP & WATER. RMV CONTAM CLTHG & SHOES. INGEST:DO NOT INDUCE  
VOMIT. NOTHG BY MOUTH IF UNCONSC. GET MEDICAL ATTN.

## Fire Fighting

Flash Point:-35F/-37C TOC  
Lower Limits:2.2%  
Upper Limits:12%  
Extinguishing Media:CO\*2, DRY CHEM, WATER  
Fire Fighting Procedures:WEAR SELF-CNTND BRTHG APP  
Unusual Fire/Explosion Hazard:NONE

## Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES, WARE SCBA,

## Handling

Handling and Storage Precautions:NONE  
Other Precautions:WASH THOROUGHLY AFTER HANDLING. WEAR PROTECTIVE CLOTHING NECESSARY TO PREVENT SKIN CONTACT

## Exposure Controls

Respiratory Protection:IF EXCED TLV, NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)  
Ventilation:MECHANICAL (GENERAL/LOCAL EXHAUST)  
Protective Gloves:RUBBER/PLASTIC  
Eye Protection:CHEM SPLASH GOGGLES  
Other Protective Equipment:SAFETY SHOWER & EYE BATH  
Supplemental Safety and Health  
MSDS 12-20-76

## Chemical Properties

HCC:F2  
Boiling Pt:B.P. Text:90F/32C  
Vapor Pres:478  
Vapor Density:2.03  
Spec Gravity:0.694  
Evaporation Rate & Reference:36.6 BUAC  
Solubility in Water:COMP  
Appearance and Odor:COLORLESS LIQUID; AMMONIA ODOR  
Percent Volatiles by Volume:100

## Stability

Stability Indicator/Materials to Avoid:YES  
ACIDS  
Stability Condition to Avoid:NONE STATED BY MFR  
Hazardous Decomposition Products:NO\*X, CO, CO\*2

## Disposal

Waste Disposal Methods:INCINERATE IN APPROVED INCINERATOR OR DISPOSE OF IN APPROVED CHEMICAL DUMP IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.