



AGS DULL BLACK LACQUER

MSDS Number

BBDQD

National Stock Number

5970-00D000966

Product Name

AGS DULL BLACK LACQUER

Manufacturer

AMES SUPPLY CO

Product Identification

Product ID:AGS DULL BLACK LACQUER

MSDS Date:01/01/1987

FSC:5970

NIIN:00D000966

MSDS Number: BBDQD

Responsible Party

AMES SUPPLY CO

Emergency Phone: 312-964-2440

Cage: 70557

Contractor

AMES SUPPLY CO

Cage: 70557

Ingredients

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III)

CAS: 78-93-3

RTECS: EL6475000

Fraction By Weight: 20%

OSHA PEL200 PPM/300 STEL

ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHOXYPROPIONATE(CAS#763-69-9)

CAS: 763-69-9

RTECS: UF3325000

Fraction By Weight:

ACGIH TLV: 50 PPM

TOLUENE (SARA III)

CAS: 108-88-3

RTECS: XS5250000

Fraction By Weight:

OSHA PEL200 PPM/150 STEL



ACGIH TLV: 50 PPM; 9293
EPA Report Quantity: 1000 LBS
DOT Report Quantity: 1000 LBS

METHYLENE CHLORIDE (SARA III)
CAS: 75-09-2
RTECS: PA8050000
Fraction By Weight: 20%
OSHA PEL500 PPM/C,1000; Z2
ACGIH TLV: 50 PPM, A2; 9192
EPA Report Quantity: 1000 LBS
DOT Report Quantity: 1000 LBS

PROPANE
CAS: 74-98-6
RTECS: TX2275000
Fraction By Weight: 15%
OSHA PEL1000 PPM
ACGIH TLV: ASPHYXIAN; 9192

Hazards

Effects of Overexposure:ANESTHETIC,IRRITATING TO SKIN & RESPIRATORY
SYS;LIGHT-HEADED NESS,NAUSEA,HARMFUL OR FATAL IF SWALLOW

First Aid

First Aid:SKIN:WASH W.SOAP & H*20. EYES:FLUSH W. H*20. INGESTED:DON'T
INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF
NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE
ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

Fire Fighting

Extinguishing Media:CO*2, FOAM, DRY CHEM.
Fire Fighting Procedures:COOL CONTR W. WATER. APPLY FROM DISTANCE.
AVOID END OF TK.
Unusual Fire/Explosion Hazard:DO NOT SPRAY NEAR OPEN FLAME.KEEP AT ROOM
TEMP AS EXPOSURE TO DIRECT SUNLIGHT,HEAT MAY CAUSE BURST.

Accidental Release

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION,VENTILATE,AVOID
BREATHING VAPORS & REMOVE WITH INERT ABSORBENT.

Handling

Handling and Storage Precautions:DO NOT PUNCTURE OR INCINERATE.DO NOT
SPRAY NEAR FIRE OR OPEN FLAME.

Exposure Controls

Respiratory Protection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG
APP (POS PR MODE)
Ventilation:LOCAL EXHAUST
Protective Gloves:RECOMMENDED
Eye Protection:RECOMMENDED
Other Protective Equipment:NONE
Supplemental Safety and Health
MSDS DATED 1-3-86. OTHER "INGRED":XYLOL(ALCOHOL(



Chemical Properties

HCC:V3
Boiling Pt:B.P. Text:Vapor Density:>1
Evaporation Rate & Reference:>1,ETHER=1
Percent Volatiles by Volume:87

Stability

Stability Indicator/Materials to Avoid:YES
NONE
Stability Condition to Avoid:DO NOT STORE ABOVE 120F.
Hazardous Decomposition Products:CO,CO*2,HCL

Disposal

Waste Disposal Methods:DO NOT INCINERATE-DISPOSE IN ACCORDANCE WITH
FEDERAL,STATE & LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.