https://msdsreport.com/msds/BBDQF

# **TUP-50 ROYAL OYSTER WHITE LACQUER**

# **MSDS Number**

BBDQF

# **National Stock Number**

5970-00D000967

# **Product Name**

TUP-50 ROYAL OYSTER WHITE LACQUER

# Manufacturer

AMES SUPPLY CO

# **Product Identification**

Product ID:TUP-50 ROYAL OYSTER WHITE LACQUER MSDS Date:01/01/1987 FSC:5970 NIIN:00D000967 MSDS Number: BBDQF

# **Responsible Party**

AMES SUPPLY CO

Emergency Phone: 312-964-2440

Cage: 70557

#### Contractor

AMES SUPPLY CO

Cage: 70557

# Ingredients

METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA III) CAS: 78-93-3 RTECS: EL6475000 Fraction By Weight: 25% OSHA PEL200 PPM/300 STEL ACGIH TLV: 200 PPM/300STEL 9192

EPA Report Quantity: 5000 LBS

DOT Report Quantity: 5000 LBS

ETHOXYPROPIONATE(CAS#763-69-9) CAS: 763-69-9 RTECS: UF3325000 Fraction By Weight: ACGIH TLV: 50 PPM

TOLUENE (SARA III) CAS: 108-88-3 RTECS: XS5250000 Fraction By Weight: OSHA PEL200 PPM/150 STEL

# msds report

https://msdsreport.com/msds/BBDQF

•

ACGIH TLV: 50 PPM; 9293 EPA Report Quantity: 1000 LBS DOT Report Quantity: 1000 LBS

METHYLENE CHLORIDE (SARA III) CAS: 75-09-2 RTECS: PA8050000 Fraction By Weight: 20% OSHA PEL500 PPM/C,1000; Z2 ACGIH TLV: 50 PPM, A2; 9192 EPA Report Quantity: 1000 LBS

DOT Report Quantity: 1000 LBS

PROPANE

CAS: 74-98-6

RTECS: TX2275000

Fraction By Weight: 15%

OSHA PEL1000 PPM

ACGIH TLV: ASPHYXIANT; 9192

#### Hazards

Effects of Overexposure:ANESTHETIC,IRRITATING TO SKIN & RESPIRATORY SYS;LIGHT-HEADED NESS,NAUSEA,HARMFUL OR FATAL IF SWALLOW

#### **First Aid**

First Aid:SKIN:WASH W.SOAP & H\*20. EYES:FLUSH W. H\*20. INGESTED:DON'T INDUCE VOMITING. INHALED:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON.

#### **Fire Fighting**

Extinguishing Media:CO\*2, FOAM, DRY CHEM. Fire Fighting Procedures:COOL CONTR W. WATER. APPLY FROM DISTANCE. AVOID END OF TK. Unusual Fire/Explosion Hazard:DO NOT SPRAY NEAR OPEN FLAME.KEEP AT ROOM TEMP AS EXPOSURE TO DIRECT SUNLIGHT,HEAT MAY CAUSE BURST.

#### **Accidental Release**

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION,VENTILATE,AVOID BREATHING VAPORS & REMOVE WITH INERT ABSORBENT.

# Handling

Handling and Storage Precautions:DO NOT PUNCTURE OR INCINERATE.DO NOT SPRAY NEAR FIRE OR OPEN FLAME.

# **Exposure Controls**

Respiratory Protection:IF EXCED TLV,NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE) Ventilation:LOCAL EXHAUST Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Other Protective Equipment:NONE Supplemental Safety and Health MSDS DATED 1-3-86.



https://msdsreport.com/msds/BBDQF

# **Chemical Properties**

HCC:V3 Boiling Pt:B.P. Text:Vapor Density:>1 Evaporation Rate & Reference:>1,ETHER=1 Percent Volatiles by Volume:94

# Stability

Stability Indicator/Materials to Avoid:YES NONE Stability Condition to Avoid:DO NOT STORE ABOVE 120F. Hazardous Decomposition Products:CO,CO\*2,HCL

#### Disposal

Waste Disposal Methods:DO NOT INCINERATE-DISPOSE IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REGULATIONS REGARDING POLLUTION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.