

BZN TOOL BLANKS & INSERTS

MSDS Number

BBDQZ

National Stock Number

3415-00D000986

Product Name

BZN TOOL BLANKS & INSERTS

Manufacturer

GENERAL ELECTRIC CO SPECIALTY MATERIALS DEPT

Product Identification

Product ID: BZN TOOL BLANKS & INSERTS

MSDS Date: 11/12/1985

FSC: 3415

NIIN: 00D000986

MSDS Number: BBDQZ

Responsible Party

GENERAL ELECTRIC CO, SPECIALTY MATERIALS DEPT.

6325 HUNTLEY RD.

WORTHINGTON , OH 43085

US

Emergency Phone: 614-438-2205

Info Phone: 614-438-2205

Preparer: P.D.ST.PIERRE

Cage: 0DEN9

Contractor

GENERAL ELECTRIC CO

WORTHINGTON, OH 43085

US

614-438-2205

Cage: 0DEN9

Ingredients

TUNGSTEN CARBIDE

CAS: 12070-12-1

RTECS: YO7250000

OSHA PEL5 MG/M3/10 STEL (W)

ACGIH TLV: 5 MG/M3/10 STEL (W)

COBALT (SARA III)

CAS: 7440-48-4

RTECS: GF8750000

OSHA PEL0.1 MG/M3;AS CO

ACGIH TLV: 0.05 MG/M3;DUST 9293

COBALT (SARA III)

CAS: 7440-48-4

RTECS: GF8750000

OSHA PEL0.1 MG/M3;AS CO

ACGIH TLV: 0.05 MG/M3;DUST 9293

Hazards

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:DUST FROM GRINDING MAY CAUSE IRRITATION TO RESPIRATORY TRACT OR SKIN. IN ADDITION,COBALT MAY CAUSE SENSITIZATION.

Explanation of Carcinogenicity:W.GERMAN LISTS COBALT AS CAUSING CANCER IN EXPERIMENTAL ANIMALS. THERE IS NO LISTING BY AGENCIES IN THIS COUNTRY.

Effects of Overexposure:EYE:IRRITATION. SKIN:IRRITATION,ALLERGIC RASH. INHALED:IRRITATION. ALSO THE POTENTIAL FOR TRANSIENT OR PERMANENT RESPIRATORY DISEASE. INGESTED:NO DATA. COBALT HAS BEEN SUGGESTED AS THE CAUSE OF BLOOD, HEART,ORGAN PROBLEMS.

Medical Cond Aggravated by Exposure:NONE LISTED. EXPECT RESPIRATORY PROBLEMS TO BE INCREASED BY EXPOSURE TO GRINDING DUST.

First Aid

First Aid:EYE:FLUSH WITH WATER. SKIN:WASH WITH SOAP & WATER.

INHALED:REMOVE FROM EXPOSURE. INGESTED:IF SUBSTANTIAL QUANTITY IS INGESTED,DRINK LARGE QUANTITY OF WATER AND INDUCE VOMITING. FOR ANY PERSISTANT IRRI TATION OR DISCOMFORT,CALL A PHYSICIAN.

Fire Fighting

Flash Point:NON-FLAMMABLE

Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

Accidental Release

Spill Release Procedures:SWEEP UP AND PLACE IN CONTAINER FOR DISPOSAL.

Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:PRODUCT IS AN ARTICLE POSING A HAZARD ONLY WHEN IN ACTUAL USE.

Exposure Controls

Respiratory Protection:WEAR NIOSH RESPIRATOR WITH CARTRIDGE FOR DUST OR A SUPPLIED AIR RESPIRATOR IF EXPOSED ABOVE NUISANCE DUST TLV.

Ventilation:USE LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV FOR NUISANCE DUST.

Protective Gloves:YES:FOR PHYSICAL PROTECTION.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:SAFETY SHIELDS,APRON

Work Hygienic Practices:USE NORMAL PERSONAL HYGIENE PROCEDURES.

Supplemental Safety and Health

Chemical Properties

HCC:N1

Solubility in Water:INSOLUBLE

Appearance and Odor:ABRASIVE SOLID. APPEARANCE & ODOR NOT DESCRIBED BY MFR.

Stability

Stability Indicator/Materials to Avoid:YES

TUNGSTEN CARBIDE IS SOLUBLE IN STRONG ACID.

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:NONE

Disposal

Waste Disposal Methods:DISPOSE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.
PRODUCT IS AN INERT SOLID.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.