

# **TITANIUM & TITANIUM BASE ALLOYS**

# **MSDS Number**

**BBDSF** 

# **National Stock Number**

3439-00D001014

# **Product Name**

TITANIUM & TITANIUM BASE ALLOYS

#### Manufacturer

ASTROLITE ALLOYS DIV OF ASTRO METALLURGICAL

# **Product Identification**

Product ID:TITANIUM & TITANIUM BASE ALLOYS

MSDS Date:01/01/1987 FSC:3439

NIIN:00D001014 MSDS Number: BBDSF

# **Responsible Party**

ASTROLITE ALLOYS, DIV. OF ASTRO METALLURGICAL

Emergency Phone: 805-484-3621

Cage: 2R602

# Contractor

ASTROLITE ALLOYS DIV OF ASTRO METALLUGICAL

CAMARILLO, CA 93010-8714

US

805-484-3621 Cage: 2R602

### **Ingredients**

TITANIUM(CAS#7440-32-6)

CAS: 7440-32-6 RTECS: XR1700000

ACGIH TLV: 10 MG/CUM

ALUMINUM (SARA III)

CAS: 7429-90-5 RTECS: BD0330000

OSHA PEL15MG/M3 DUST/5 FUME ACGIH TLV: 10MG/M3 DUST; 9192

MOLYBDENUM
CAS: 7439-98-7

RTECS: QA4680000

OSHA PEL15 MG/M3 TDUST ACGIH TLV: 10 MG/M3; 9293



TIN

CAS: 7440-31-5 RTECS: XP7320000 OSHA PEL2 MG/M3

ACGIH TLV: 2 MG/M3; 9192

VANADIUM (SARA III)

CAS: 7440-62-2 RTECS: YW1355000

OSHA PELC,0.5 MG V2O5/M3 RD ACGIH TLV: 0.05 MG V205/M3;9293

#### **Hazards**

Effects of

Overexposure:IRRITATION,DERMATITIS,COUGHING,GASTRO-INTESTINAL DISORDER;NI & CR ARE INKED TO NASAL,LUNG CANCERS.

#### First Aid

First Aid:SKIN:WASH W.SOAP & H\*20 EYES:FLUSH W. H\*20. INGESTED:GIVE 2 GLASSES H\*20; INDUCE VOMITING.CALL A PHYSICIAN. INHALE:REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NEED. KEEP WARM & QUIET. REMOVE CONTAMINATED CLOTHING. IF UNCONS DO NOT TAKE ANYTHING BY MOUTH.

#### Fire Fighting

Extinguishing Media:CLASS D EXTINGUISHER
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:FINELY DIVIDED TITANIUM POWDERS,DUST &
CHIPS ARE POTENTIAL FIRE & EXPLOSION HAZARDS.

#### **Accidental Release**

Spill Release Procedures: IN SOLID FORM, THIS MATERIAL POSES NO SPECIAL CLEAN-UP PROBLEMS. RESIDUE FROM CUTTING OR GRINDING SHOULD BE SWEPT OR VACUUMED & PLACED IN PROPERLY LABELED WASTE CONTAINERS.

### **Exposure Controls**

Respiratory Protection: IF EXCED TLV, NIOSH/MSHA APPR SELF-CNTND BRTHG APP (POS PR MODE)

Ventilation:LOCAL EXHAUST.
Protective Gloves:RECOMMENDED.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Supplemental Safety and Health
MSDS DATED 2-5-86.

# **Chemical Properties**

HCC:N1

Appearance and Odor: GRAY METALLIC SOLID, NO ODOR

# Stability

Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:NONE

#### **Disposal**

Waste Disposal Methods: KEEP IN COVERED DRUMS, PENDING DISPOSAL. HANDLE & DISPOSE IN FULL COMPLIANCE WITH ALL APPLICABLE INTERNATIONAL, FEDERAL, STATE, & LOCAL REGULATIONS.



Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.