

VERSATEC CLEAR DISPERSANT

MSDS Number

BBDWG

National Stock Number

6850-00D001105

Product Name

VERSATEC CLEAR DISPERSANT

Manufacturer

VERSATEC (A XEROX COMPANY)

Product Identification

Product ID:VERSATEC CLEAR DISPERSANT

MSDS Date:01/22/1987

FSC:6850

NIIN:00D001105

MSDS Number: BBDWG

Responsible Party

VERSATEC (A XEROX COMPANY)

2805 BOWERS AVE.

SANTA CLARA 95051

US

Emergency Phone: 716-422-2177

Info Phone: 800-828-6571

Cage: EO083

Contractor

VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

SANTA CLARA, CA 95051-0905

US

716-422-2177 (XEROX CORP, NY)

Cage: 50804

Ingredients

ISOPARAFFINIC PETROLEUM SOLVENT (PETROLEUM NAPHTHA)

CAS: 64742-48-9

Fraction By Weight: 100%

Hazards

LD50 LC50 Mixture:>10GM/KG ORAL,2240 PPM/4HR (RAT)

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MATERIAL IS PRACTICALLY NON-TOXIC WHEN USED AS INTENDED. TOXICITY WILL RESULT FROM ACCIDENT OR MISUSE.

Effects of Overexposure:EYES: IRRITATION. SKIN: MILD IRRITATION. INHAL: ABNORMAL HEART RHYTHM, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. INGEST: CENTRAL NERVOUS DEPRESSION AND RESPIRATORY DISTRESS BY ASPIRATION.

Medical Cond Aggravated by Exposure:NONE

First Aid

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP & WATER, REMOVE CONTAMINATED CLOTHING. INHAL: REMOVE TO FRESH AIR, GIVE OXYGEN OR

CPR AS NEEDED. INGEST: DILUTE STOMACH CONTENTS BY DRINKING WATER, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.

Fire Fighting

Flash Point Method:TCC
Flash Point:105F/41C
Lower Limits:7.0%
Upper Limits:0.8%
Extinguishing Media:FOAM,DRY CHEMICAL, CARBON DIOXIDE, WATER FOG OR SPRAY
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.
Unusual Fire/Explosion Hazard:NONE LISTED BY MFR. HMIS: VAPORS ARE HEAVIER THAN AIR AND MAY FLASHBACK FROM AN IGNITION SOURCE

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES. RECOVER FREE LIQUID IN CONTAINERS OR WITH ABSORBANT SUCH AS VERMICULITE, SAWDUST, FIRE RETARDANT.
Neutralizing Agent:NONE

Handling

Handling and Storage Precautions:KEEP CONTAINERS CLOSED. DO NOT HANDLE NEAR HEAT, SPARKS, FLAME OR STRONG OXIDANTS. STORE IN COOL, DRY AREA AWAY FROM IGNITION SOURCES AND OXIDIZERS

Exposure Controls

Respiratory Protection:MFR SUGGESTS TLV WILL NOT BE EXCEEDED IF USED AS INTENDED IN VERSATEC (XEROX) PRODUCTS. HMIS SUGGESTS NIOSH RESPIRATOR WITH ORGANIC VAPOR CANISTOR FOR CASES WHERE TLV IS EXCEEDED.
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:RUBBER/PLASTIC
Eye Protection:GOGGLES/FACE SHIELD
Other Protective Equipment:CHEMICAL APRON IF NECESSARY TO AVOID PROLONGED OR REPEATED CONTACT.
Work Hygienic Practices:NORMAL PERSONAL HYGIENE IS SATISFACTORY
Supplemental Safety and Health
THIS PRODUCT IS SOLD UNDER VERSATEC NUMBERS 4403-2, 4403-1-1, 4403-1-4, 4403-2-1, 4403-3-2, 4403-1GR-2, 4403-16-6, 4002CK. ALSO SEE NSN 6850-01-017-6683, 6850-01-247-4753 AND 6850-01-167-5191. THE DIFFERENT NUMBERS USUALLY INDICATE A DIFFERENT PACKAGING.

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:315F/157C
Vapor Density:5.0
Spec Gravity:0.75
Evaporation Rate & Reference:0.3 BUAC
Solubility in Water:NEGLIGIBLE
Appearance and Odor:CLEAR,COLORLESS LIQUID / MILD ODOR
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS SUCH AS CHLORINE AND CALCIUM HYPOCHLORITE
Stability Condition to Avoid:NONE
Hazardous Decomposition Products:FUMES, SMOKE, CARBON MONOXIDE

Disposal

Waste Disposal Methods:INCINERATE OR LANDFILL AT AN APPROVED DISPOSAL FACILITY I/A/W FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.