

## **ECP-PROCESS BLACK TONER CONCENTRATE**

### **MSDS Number**

BBDWR

### **National Stock Number**

6850-00D001114

### **Product Name**

ECP-PROCESS BLACK TONER CONCENTRATE

### **Manufacturer**

VERSATEC (A XEROX CO )

### **Product Identification**

Product ID:ECP-PROCESS BLACK TONER CONCENTRATE

MSDS Date:09/18/1987

FSC:6850

NIIN:00D001114

MSDS Number: BBDWR

### **Responsible Party**

VERSATEC (A XEROX CO.)

2710 WALSH AVENUE

SANTA CLARA , CA 95051

Emergency Phone: 716-422-2177

Info Phone: 800-828-6571

Cage: EO083

### **Contractor**

VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

SANTA CLARA, CA 95051-0905

US

716-422-2177 (XEROX CORP, NY)

Cage: 50804

### **Ingredients**

ISOPARAFFINIC PETROLEUM SOLVENT (PETROLEUM NAPHTHA)

CAS: 64742-48-9

Fraction By Weight: 85%

POLYMER (CLAIMED AS TRADE SECRET)

Fraction By Weight:

PIGMENT (BLACK)

### **Hazards**

LD50 LC50 Mixture:>2GM/KG DERMAL RABBIT

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MATERIAL IS LISTED BY MFR AS "WHEN USED AS INTENDED, IT DOES NOT REPRESENT A HEALTH HAZARD". TOXICITY WILL RESULT FROM ACCIDENT OR MISUSE.

Effects of Overexposure:EYES: IRRITATION. SKIN:IRRITATION.

INHALE:ABNORMAL HEART RYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM DEPRESSION, RESPIRATORY DISTRESS BY ASPIRATION.

Medical Cond Aggravated by Exposure:NONE

## First Aid

First Aid:EYES:FLUSH WITH WATER. SKIN:REMOVE CONTAMINATED CLOTHING, WASH WITH SOAP AND WATER. INHALE:REMOVE TO FRESH AIR, GIVE OXYGEN OR CPR AS NEEDED. INGEST:DILUTE STOMACH CONTENTS BY DRINKING WATER. DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN.

## Fire Fighting

Flash Point:102F/39C TCC  
Lower Limits:0.8  
Upper Limits:7.0  
Extinguishing Media:CO\*2, FOAM, DRY CHEM & H\*2O FOG.  
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H\*20 SPRAY TO COOL CONTR.  
Unusual Fire/Explosion Hazard:DO NOT STORE WITH STRONG OXIDANTS

## Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES, RECOVER FREE LIQUID WITH VERMICULITE, SAWDUST, ETC.

## Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID STORING/HANDLING NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.  
Other Precautions:AVOID BREATHING VAPORS AND PROLONGED OR REPEATED SKIN CONTACT.

## Exposure Controls

Respiratory Protection:MFR STATED "NONE WHEN USED AS INTENDED" HMIS SUGGETS NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE WHEN TLV IS EXCEEDED. (SPILLS,ETC).  
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:NEOPRENE OR NITRILE.  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE  
Work Hygienic Practices:NORMAL PERSONAL HYGIENE PRACTICES ARE SATISFACTORY.  
Supplemental Safety and Health  
MSDS NO 2001 MFR SELLS THIS PRODUCT UNDER NUMBERS 4811-16,AND 4811-16-6

## Chemical Properties

HCC:F4  
Boiling Pt:B.P. Text:160-180C  
Vapor Pres:IMM  
Vapor Density:5.0  
Spec Gravity:0.75-0.82  
Evaporation Rate & Reference:25-.45 BUAC  
Solubility in Water:IMMISCIBLE  
Appearance and Odor:BLACK LIQUID, SLIGHT ODOR  
Percent Volatiles by Volume:NR1100

## Stability

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDANTS  
Stability Condition to Avoid:IGNITION SOURCES,HIGH TEMPERATURES  
Hazardous Decomposition Products:CO,CO\*2

## Disposal

Waste Disposal Methods:APPROVED DISPOSAL SITE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.