



ECP-PROCESS BLACK TONER CONCENTRATE

MSDS Number

BBDWR

National Stock Number

6850-00D001114

Product Name

ECP-PROCESS BLACK TONER CONCENTRATE

Manufacturer

VERSATEC (A XEROX CO)

Product Identification

Product ID:ECP-PROCESS BLACK TONER CONCENTRATE
MSDS Date:09/18/1987
FSC:6850
NIIN:00D001114
MSDS Number: BBDWR

Responsible Party

VERSATEC (A XEROX CO.)
2710 WALSH AVENUE
SANTA CLARA , CA 95051
Emergency Phone: 716-422-2177
Info Phone: 800-828-6571
Cage: EO083

Contractor

VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)
SANTA CLARA, CA 95051-0905
US
716-422-2177 (XEROX CORP, NY)
Cage: 50804

Ingredients

ISOPARAFFINIC PETROLEUM SOLVENT (PETROLEUM NAPHTHA)
CAS: 64742-48-9
Fraction By Weight: 85%

POLYMER (CLAIMED AS TRADE SECRET)

Fraction By Weight:
PIGMENT (BLACK)

Hazards

LD50 LC50 Mixture:>2GM/KG DERMAL RABBIT
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MATERIAL IS LISTED BY MFR AS "WHEN USED AS INTENDED, IT DOES NOT REPRESENT A HEALTH HAZARD". TOXICITY WILL RESULT FROM ACCIDENT OR MISUSE.
Effects of Overexposure:EYES: IRRITATION. SKIN:IRRITATION.
INHALE:ABNORMAL HEART RYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM DEPRESSION, RESPIRATORY DISTRESS BY ASPIRATION.



Medical Cond Aggravated by Exposure:NONE

First Aid

First Aid:EYES:FLUSH WITH WATER. SKIN:REMOVE CONTAMINATED CLOTHING, WASH WITH SOAP AND WATER. INHALE:REMOVE TO FRESH AIR, GIVE OXYGEN OR CPR AS NEEDED. INGEST:DILUTE STOMACH CONTENTS BY DRINKING WATER. DO NOT INDUCE VOMITING. CONTACT A PHYSICIAN.

Fire Fighting

Flash Point:102F/39C TCC
Lower Limits:0.8
Upper Limits:7.0
Extinguishing Media:CO*2, FOAM, DRY CHEM & H*2O FOG.
Fire Fighting Procedures:WEAR SELF-CNTD BRTHG,APP H*20 SPRAY TO COOL CONTR.
Unusual Fire/Explosion Hazard:DO NOT STORE WITH STRONG OXIDANTS

Accidental Release

Spill Release Procedures:REMOVE IGNITION SOURCES, RECOVER FREE LIQUID WITH VERMICULITE, SAWDUST, ETC.

Handling

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID STORING/HANDLING NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.
Other Precautions:AVOID BREATHING VAPORS AND PROLONGED OR REPEATED SKIN CONTACT.

Exposure Controls

Respiratory Protection:MFR STATED "NONE WHEN USED AS INTENDED" HMIS SUGGETS NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE WHEN TLV IS EXCEEDED. (SPILLS,ETC).
Ventilation:PROVIDE MECHAN(GEN/LOCAL EXHAUST)VENT TO MAINTN Protective Gloves:NEOPRENE OR NITRILE.
Eye Protection:SAFETY GLASSES
Other Protective Equipment:NONE
Work Hygienic Practices:NORMAL PERSONAL HYGIENE PRACTICES ARE SATISFACTORY.
Supplemental Safety and Health
MSDS NO 2001 MFR SELLS THIS PRODUCT UNDER NUMBERS 4811-16,AND 4811-16-6

Chemical Properties

HCC:F4
Boiling Pt:B.P. Text:160-180C
Vapor Pres:IMM
Vapor Density:5.0
Spec Gravity:0.75-0.82
Evaporation Rate & Reference:25-.45 BUAC
Solubility in Water:IMMISCIBLE
Appearance and Odor:BLACK LIQUID, SLIGHT ODOR
Percent Volatiles by Volume:NR1100

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS
Stability Condition to Avoid:IGNITION SOURCES,HIGH TEMPERATURES
Hazardous Decomposition Products:CO,CO*2

Disposal

Waste Disposal Methods:APPROVED DISPOSAL SITE I/A/W FEDERAL,STATE,LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and



assume responsibility for the suitability of this information to their particular situation.