

SPECTRUM BLACK TONER FOR C2552/C2558/C2568

MSDS Number

BBDXD

National Stock Number

6850-00D001124

Product Name

SPECTRUM BLACK TONER FOR C2552/C2558/C2568

Manufacturer

VERSATEC INC (A XEROX COMPANY)

Product Identification

Product ID:SPECTRUM BLACK TONER FOR C2552/C2558/C2568

MSDS Date:03/14/1990

FSC:6850

NIIN:00D001124

MSDS Number: BBDXD

Responsible Party

VERSATEC INC (A XEROX COMPANY)

2710 WALSH AVE.

SANTA CLARA , CA 95051-0905

US

Emergency Phone: 716-422-2177 (XEROX CORP, NY)

Info Phone: 408-985-5810 OR 800-828-6571

Cage: EO084

Contractor

VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

SANTA CLARA, CA 95051-0905

US

716-422-2177 (XEROX CORP, NY)

Cage: 50804

Ingredients

HYDROTREATED HEAVY NAPHTHA (ISOPARAFFINIC HYDROCARBON

CAS: 64742-48-9

Fraction By Weight: >98%

POLYMER, UNSPECIFIED (TRADE SECRET)

PIGMENT (TRADE SECRET)

VOLATILE ORGANIC COMPOUND 730 G/L

RTECS: 9999999VO

Hazards

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >10000 MG/KG

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: INHALATION MAY CAUSE
RESPIRATORY IRRITATION, CNS EFFECTS, ABNORMAL HEAT RHYTHMS.
INGESTION MAY CAUSE CNS DEPRESSION. ASPIRATION DURING INGESTION OR
VOMITING MAY CAUSE CHEMICAL PNEUMONITIS, WHICH CAN BE FATAL.
CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE SKIN IRRITATION
OR DERMATITIS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED/INGESTED (CNS EFFECTS): HEAT
IRREGULARITIES, DIZZINESS, INCOORDINATION, NAUSEA, VOMITING,
WEAKNESS, FATIGUE. INHALED: SHORTNESS OF BREATH, COUGHING,
WHEEZING. SKIN: REDNESS, ITCHING, DISCOMFORT. EYES: REDNESS,
TEARING, DISCOMFORT. INGESTED: NAUSEA, VOMITING, DIARRHEA.

Medical Condition Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid

First Aid:INHALED: REMOVE TO FRESH AIR. RESTORE BREATHING IF NEEDED.
SEE DOCTOR IF SYMPTOMS PERSIST. EYES: FLUSH WITH LOTS OF WATER FOR
15 MINUTES. SEE DOCTOR. SKIN: REMOVE CONTAMINATED CLOTHES. WASH
WITH SOAP AND WATER. SEE DOCTOR IF SYMPTOMS PERSIST. INGESTED: DO
NOT INDUCE VOMITING! IF CONSCIOUS, DILUTE STOMACH CONTENTS WITH
WATER. GET IMMEDIATE MEDICAL ATTENTION.

Fire Fighting

Flash Point Method:TCC

Flash Point:>102F,>39C

Lower Limits:0.8%

Upper Limits:7.0%

Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER FOG.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE GEAR. COOL FIRE EXPOSED CONTAINERS WITH WATER.
AVOID BREATHING VAPOR OR FUMES.

Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE WITH STRONG OXIDIZING
AGENTS.

Accidental Release

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. RECOVER
FREE LIQUID WITH INERT MATERIAL AND PLACE IN A MARKED CONTAINER FOR
LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE AWAY FROM
SOURCES OF IGNITION AND STRONG OXIDIZING AGENTS. KEEP CONTAINER
CLOSED.

Other Precautions:AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED
SKIN CONTACT.

Exposure Controls

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:NONE NORMALLY REQUIRED.

Protective Gloves:NEOPRENE OR NITRILE IF PROLONGED CONTACT

Eye Protection:NONE NORMALLY REQUIRED.

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MSDS NO 2056 MFR SELLS PRODUCT UNDER P/N 4831-16-6,4841-16-3,AND
4851-16-6.

Chemical Properties

HCC:F4

Boiling Pt:B.P. Text:>320F,>160C

Vapor Pres:1 MM HG

Vapor Density:5.0(AIR=1)

Spec Gravity:0.77 (WATER=1)

Evaporation Rate & Reference:0.3 (N-BUTYL ACETATE=1)
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK LIQUID; SLIGHT ODOR
Percent Volatiles by Volume:100

Stability

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:CONTACT WITH/EXPOSURE TO SOURCES OF
IGNITION AND STRONG OXIDIZING AGENTS.
Hazardous Decomposition Products:FUMES, SMOKE, AND CARBON MONOXIDE IN
THE CASE OF INCOMPLETE COMBUSTION.

Disposal

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
FEDERAL REGULATIONS. EPA WASTE NUMBER D001 MAY APPLY.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.